
ERA®



Catalogue 2016

Нагнетателни и смукателни конусни вентили


Регулируеми нагнетателни и смукателни дифузери



Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	10APVP	Adjustable supply-and-exhaust anemostat with flange D100	W	0,152	0,038	20	3,57
	12,5APVP	Adjustable supply-and-exhaust anemostat with flange D125	W	0,206	0,054	16	3,896
	16APVP	Adjustable supply-and-exhaust anemostat with flange D160	W	0,302	0,082	20	6,8
	20APVP	Adjustable supply-and-exhaust anemostat with flange D200	W	0,356	0,082	13	5,388
	10APVP1	Adjustable supply-and-exhaust anemostat without flange D100	W	0,1	0,038	20	2,53
	12,5APVP1	Adjustable supply-and-exhaust anemostat without flange D125	W	0,136	0,054	16	2,776
	16APVP1	Adjustable supply-and-exhaust anemostat without flange D160	W	0,198	0,082	20	4,72
	20APVP1	Adjustable supply-and-exhaust anemostat without flange D200	W	0,236	0,082	13	3,828

Model	10APVP	12,5APVP	16APVP	20APVP
R	100	125	160	200
D	150	185	220	260
d	85	110	145	185
C	19	24	24	24
E	53	49	51	47


Model	10APVP1	12,5APVP1	16APVP1	20APVP1
R	-	-	-	-
D	150	185	220	260
d	85	110	145	185
C	19	24	24	24
E	-	-	-	-



Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
10 APP	Adjustable supply-and-exhaust anemostat with flange D100	W	0,162	0,054	24	4,488
12,5 APP	Adjustable supply-and-exhaust anemostat with flange D125	W	0,212	0,054	20	4,84
16 APP	Adjustable supply-and-exhaust anemostat with flange D160	W	0,287	0,082	14	4,778
20 APP	Adjustable supply-and-exhaust anemostat with flange D200	W	0,387	0,082	10	4,63

Model	10APP	12,5APP	16APP	20APP
d	100	125	160	200
D	165	197	234	275


Регулируеми смукателни дифузери



Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
10AVP	Adjustable exhaust anemostat with flange D100	W	0,162	0,054	24	4,488
12,5 AVP	Adjustable exhaust anemostat with flange D125	W	0,207	0,054	16	3,912
16 AVP	Adjustable exhaust anemostat with flange D160	W	0,273	0,082	12	4,036
20 AVP	Adjustable exhaust anemostat with flange D200	W	0,371	0,082	8	3,728

Model	10AVP	12,5AVP	16AVP	20AVP
d	100	125	160	200
D	165	197	234	275

Нагнетателни и смукателни дифузери








Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
10DK	Supply-and-exhaust diffuser with locking ring and flange D100	W	0,109	0,038	24	2,896
12,5DK	Supply-and-exhaust diffuser with locking ring and flange D125	W	0,133	0,038	20	2,94
16DK	Supply-and-exhaust diffuser with locking ring and flange D160	W	0,187	0,082	30	6,37
20DK	Supply-and-exhaust diffuser with locking ring and flange D200	W	0,253	0,082	16	4,808

Model	10DK	12,5DK	16DK	20DK
D	100	125	160	200
F	143	164	200	244
A	63	64	65	66
B	52	52	52	52

Дифузери

Нагнетателни и смукателни решетки

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	10RKF	Exhaust removable round grill D145 with flange D100	W	0,079	0,027	30	2,85	
	12RKF	Exhaust removable round grill D165 with flange D120	W	0,1	0,027	22	2,68	
	10RK	Exhaust round grill D130 with flange D100	W	0,048	0,027	55	3,12	
	12RK	Exhaust round grill D150 with flange D125	W	0,063	0,027	34	2,622	
	15RK	Exhaust round grill D200 with flange D150	W	0,121	0,038	35	4,765	
	16RK	Exhaust round grill D200 with flange D160	W	0,085	0,038	35	3,505	
	10RKS	Exhaust round grill with plastic screen D130 and flange D100	W	0,039	0,027	55	2,625	
	12RKS	Exhaust round grill with plastic screen D150 and flange D125	W	0,054	0,027	34	2,316	
	16RKS	Exhaust round grill with plastic screen D200 and flange D160	W	0,093	0,038	35	3,785	
	10RPKF	Exhaust removable round grill D143 with flange D100	W	0,083	0,027	33	3,219	
	12,5RPKF	Exhaust removable round grill D164 with flange D125	W	0,138	0,027	14	2,412	
	16RPKF	Exhaust removable round grill D200 with flange D160	W	0,191	0,038	12	2,822	
	1515RC	Cylindrical grill with screen 150x150	W	0,043	0,027	60	3,06	
	1515RC Ivory	Cylindrical grill with screen 150x150						
	1520RC	Cylindrical grill with screen 150x200	W	0,056	0,038	70	4,45	
	1520RC Ivory	Cylindrical grill with screen 150x200						
	1825RC	Cylindrical grill with screen 180x250	W	0,078	0,054	60	5,28	
	1825RC Ivory	Cylindrical grill with screen 180x250						
	2020RC	Cylindrical grill with screen 200x200	W	0,074	0,038	35	3,12	
	2020RC Ivory	Cylindrical grill with screen 200x200						
	2030RC	Cylindrical grill with screen 200x300	W	0,131	0,054	35	5,185	
	2030RC Ivory	Cylindrical grill with screen 200x300						
	3434RC	Cylindrical grill with screen 340x340	W	0,204	0,054	25	5,7	
	3434RC Ivory	Cylindrical grill with screen 340x340						
	4444RC	Cylindrical grill with screen 440x440	W	0,359	0,085	20	8,03	
	4444RC Ivory	Cylindrical grill with screen 440x440						


Model	10RKF	12RKF
d	100	120
D	145	165

Model	10RK	12RK	15RK	16RK
d	100	125	150	160
D	130	150	200	200
C	21	21	22	21


Model	10RKS	12RKS	16RKS
D	130	150	200
d	100	125	160
C	21	21	21

Model	10RPKF	12,5RPKF	16RPKF
d	100	125	160
D	143	164	200
E	26,5	52,5	52,5


Model	1515RC	1520RC	1825RC	2020RC	2030RC	3434RC	4444RC
A	150	150	180	200	200	340	440
B	150	200	250	200	300	340	440
X	106	106	141	161	161	300	400
Y	111	162	213	163	263	300	400
C	11	11	14	16	16	17	19

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1313C	Grill with screen 138x138	C	0,047	0,027	90	4,71	
	1313C beige	Grill with screen 138x138, beige						
	1313C brown	Grill with screen 138x138, brown						
	1919C	Grill with screen 194x194	C	0,098	0,038	65	6,9	
	1919C beige	Grill with screen 194x194, beige						
	1919C brown	Grill with screen 194x194, brown						
	2323C	Grill with screen 234x234	C	0,145	0,054	60	9,3	
	2323C beige	Grill with screen 234x234, beige						
	2323C brown	Grill with screen 234x234, brown						
	1724C	Grill with screen 170x240	C	0,094	0,038	70	7,11	
	1724C beige	Grill with screen 170x240, beige						
	1724C brown	Grill with screen 170x240, brown						
	1708C	Grill with screen 171x81	C	0,032	0,019	90	3,16	
	1708C brown	v with screen 171x81, brown						
	2211C	Grill with screen 217x113	C	0,056	0,019	50	3,08	
	2211C brown	Grill with screen 217x113, brown						
	2211C beige	Grill with screen 217x113, beige						


Model	1122C	1313C	1708C	1724C	1919C	2323C
A	217	138	171	170	194	234
B	113	138	81	240	194	234

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1515R	Removable grill with screen 150x150	C	0,089	0,027	50	4,93	
	1515R beige	Removable grill with screen 150x150, beige						
	1515R brown	Removable grill with screen150x150, brown						
	2121R	Removable grill with screen 208x208	C	0,153	0,038	40	6,65	
	2121R beige	Removable grill with screen 208x208, beige						
	2121R brown	Removable grill with screen 208x208, brown						
	2525R	Removable grill with screen 249x249	C	0,23	0,054	40	9,8	
	2525R beige	Removable grill with screen 249x249, beige						
	2525R brown	Removable grill with screen 249x249, brown						
	1825R	Removable grill with screen 183x253	C	0,173	0,038	40	7,45	
	1825R beige	Removable grill with screen 183x253, beige						
	1825R brown	Removable grill with screen 183x253, brown						





Model	1515R	1825R	2121R	2525R
A	150	183	208	249
B	150	253	208	249
X	126	159	183	224
Y	126	228	183	224

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1313G	Grill with screen 138x138	C	0,052	0,027	85	4,9	
	1919G	Grill with screen 194x194	C	0,11	0,038	50	6,03	
	1724G	Grill with screen 170x240	C	0,124	0,038	50	6,73	



Model	1313G	1724G	11919G
A	138	170	194
B	138	240	194
C	11	13	12

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1515P	Removable grill 150x150	C	0,094	0,027	50	5,18	
	2121P	Removable grill 208x208	C	0,18	0,038	35	6,83	
	1825P	Removable grill 183x253	C	0,2	0,038	35	7,53	

Model	1515P	1825P	2121P
A	150	183	208
B	150	253	208
C	17	20	20
X	126	159	183
Y	126	228	183

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	1515P10F	1515P10F Demountable grill 150*150 with flange d100	C	0,125	0,027	24	3,48
	1825P12F	1825P12F Demountable grill 183x253 with flange d125	C	0,252	0,082	32	8,824
	2121P12F	2121P12F, Demountable grill 208x208 with flange d125	C	0,23	0,082	30	7,66
	1515RC10F	Grill 150x150 with flange D100	C	0,068	0,019	16	1,368
	1717RC12,5F	Grill 170x170 with flange D125	C	0,102	0,019	11	1,402
	2020RC16F	Grill 200x200 with flange D160	C	0,14	0,019	8	1,4
	511RCF	Grill 140x85 with flange 110x55	C	0,044	0,019	24	1,348
	612RCF	Grill 150x90 with flange 120x60	C	0,054	0,019	22	1,468
	620RCF	Grill 234x90 with flange 204x60	C	0,068	0,019	16	1,368
	1515RR	Removable grill 150x150	C	0,062	0,027	50	3,08
	1515RR Ivory	Removable grill 150x150					
	1825RR	Removable grill 180x250	NEW!				
	1825RR Ivory	Removable grill 180x250					
	2020RR	Removable grill 200x200	C	0,097	0,038	40	4,41
	2020RR Ivory	Removable grill 200x200					
	2030RR	Removable grill 200x300	C	0,149	0,054	30	5,07
	2030RR Ivory	Removable grill 200x300					
	2525RR	Removable grill 250x250	C	0,179	0,054	34	6,686
	2525RR Ivory	Removable grill 250x250					
	3535RR	Removable grill 350x350	C	0,338	0,054	18	6,684
	3535RR Ivory	Removable grill 350x350					
	4040RR	Removable grill 400x400	C	0,465	0,103	20	10,1
	1825RU	Exhaust grill 184x254 with flange D125	C	0,14	0,082	25	4,26

Нагнетателни и смукателни решетки за врати



	4513RP	Removable overflow grill 455x133	C				
	4513RP (brown)	Removable overflow grill 455x133, brown	C	0,174	0,037	30	5,62
	4513RP (beige)	Removable overflow grill 455x133, beige	C				

Model	1515P10F	1825P12F	2121P12F
A	150	183	208
B	150	253	208
X	126	159	183
Y	126	228	183
C	17	20	20
E	28,5	34	34
d	100	125	125

Model	1515RC10F	1717RC12,5F	2020RC16F
A	150	170	200
d	100	125	160
X	113	132	163


Model	511RCF	612RCF	620RCF
A	140	150	234
a	110	120	204
B	85	90	90
a	55	60	60

Model	1515RR	2020RR	2030RR	2525RR	3535RR	4040RR
A	150	200	200	250	350	400
B	150	200	300	250	350	400
X	115	152	152	202	302	375
Y	116	156	256	206	306	375
c	12	14	20	17	22	25

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	4513DP	Removable overflow grill 450x131, set of 2 pc., polypropylene	C	0,412	0,082	25	11,06	
	4513DP (brown)	Removable overflow grill 450x131, brown, set of 2 pc., polypropylene						
	4513DP (beige)	Removable overflow grill 450x131 beige, set of 2 pc., polypropylene						
	4409DP	Removable overflow grill 450x91, set of 2 pc.	C	0,355	0,082	34	12,83	
	4409DP (brown)	Removable overflow grill 450x91, brown, set of 2 pc.						
	4409DP (beige)	Removable overflow grill 450x91, beige, set of 2 pc.						
	05DP	Removable round overflow grill D70 with flange D50, set of 2 pc., polystyrol	C	0,005	0,005	50	0,325	



Model	4409DP	4513DP
A	450	450
B	91	131
X	420	432
Y	73	117

Нагнетателни и смукателни метални решетки


Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1212MC	Grill with screen 125x125, zink-coated steel	C	0,116	0,019	100	11,9	
	1515MC	Grill with screen 150x150, zink-coated steel	C	0,115	0,019	100	11,78	
	2020MC	Grill with screen 200x200, zink-coated steel	C	0,291	0,019	50	14,87	
	2525MC	Grill with screen 250x250, zink-coated steel	C	0,43	0,025	25	11,07	
	3030MC	Grill with screen 300x300, zink-coated steel	C	0,594	0,025	18	11,01	
	1212ME	Grill with screen and with polymeric enamel 125x125, steel	C	0,118	0,019	100	12,1	
	1212ME brown	Grill with screen and with polymeric enamel 125x125, steel brown						
	1212ME Ivory	Grill with screen and with polymeric enamel 125x125, steel Ivory						
	1515ME	Grill with screen and with polymeric enamel 150x150, steel	C	0,119	0,019	100	12,18	
	1515ME brown	Grill with screen and with polymeric enamel 150x150, steel brown						
	1515ME Ivory	Grill with screen and with polymeric enamel 150x150, steel Ivory						
	2020ME	Grill with screen and with polymeric enamel 200x200, steel	C	0,296	0,019	50	15,12	
	2020ME brown	Grill with screen and with polymeric enamel 200x200, steel brown						
	2020ME Ivory	Grill with screen and with polymeric enamel 200x200, steel Ivory						
	2525ME	Grill with screen and with polymeric enamel 250x250, steel	C	0,438	0,025	25	11,27	
	2525ME brown	Grill with screen and with polymeric enamel 250x250, steel brown						
	2525ME Ivory	Grill with screen and with polymeric enamel 250x250, steel Ivory						
	3030ME	Grill with screen and with polymeric enamel 300x300, steel	C	0,604	0,025	18	11,19	
	3030ME brown	Grill with screen and with polymeric enamel 300x300, steel brown						
	3030ME Ivory	Grill with screen and with polymeric enamel 300x300, steel Ivory						

Model	1212ME/MC	1515ME/MC	2020ME/MC	2525ME/MC	3030ME/MC
A	125	150	200	250	300
B	9	8	8	10	13
X	111	136	186	234	284

Нагнетателни и смукателни решетки с регулираща секция



Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1515RRP	Removable grill with adjustable flow section 150x150	C	0,089	0,027	50	4,43	
	1515RRP Ivory	Removable grill with adjustable flow section 150x150 Ivory						
	1825RRP	Removable grill with adjustable flow section 180x250	NEW!					
	1825RRP Ivory	Removable grill with adjustable flow section 180x250 Ivory						
	2020RRP	Removable grill with adjustable flow section 200x200	C	0,143	0,038	40	6,25	
	2020RRP Ivory	Removable grill with adjustable flow section 200x200 Ivory						
	2030RRP	Removable grill with adjustable flow section 200x300	C	0,231	0,054	30	7,53	
	2030RRP Ivory	Removable grill with adjustable flow section 200x300 Ivory						
	2525RRP	Removable grill with adjustable flow section 250x250	C	0,258	0,054	34	9,372	
	2525RRP Ivory	Removable grill with adjustable flow section 250x250 Ivory						
	3535RRP	Removable grill with adjustable flow section 350x350	C	0,561	0,054	18	10,69	
	3535RRP Ivory	Removable grill with adjustable flow section 350x350 Ivory						

Model	1515RRP	2020RRP	2030RRP	2525RRP	3535RRP
A	150	200	200	250	350
B	150	200	300	250	350
a	115	152	152	202	302
b	116	156	256	206	306
c	12	14	20	17	22



Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	2121K12,5FR	Removable grill with adjustable flow section 212x212 with flange D125	C	0,225	0,038	18	4,58	
	2121K16FR	Removable grill with adjustable flow section 212x212 with flange D160	C	0,246	0,038	16	4,466	

Model	2121K12,5FR	2121K16FR
A	212	212
X	150	150
d	125	160
E	25	25
C	20	20




Нагнетателни и смукателни таванни решетки

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	P6060DP cell	Ceiling grill 595x595 cell	C	0,584	0,078	20	13,48
	P6060DP Fusion	Ceiling grill 595x595	C	0,55	0,078	18	11,72



Декоративен панел за радиатори, PVC

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	P6060R beige	Grill 600x600, beige, PVC	O	1,045	0,064	5	5,725
	P6060R	Grill 600x600, PVC					
	P6060R cherry	Grill 600x600, cherry, PVC					
	P6060R oak	Grill 600x600, oak, PVC					
	P6060R ivory	Grill 600x600, ivory, PVC					
	P6090R beige	Grill 600x900, beige, PVC	O	1,42	0,094	5	7,7
	P6090R	Grill 600x900, PVC					
	P6090R cherry	Grill 600x900, cherry, PVC					
	P6090R oak	Grill 600x900, oak, PVC					
	P6090R ivory	Grill 600x900, ivory, PVC					
	P60120R beige	Grill 600x1200, beige, PVC	O	1,795	0,124	5	9,675
	P60120R	Grill 600x1200, PVC					
	P60120R cherry	Grill 600x1200, cherry, PVC					
	P60120R oak	Grill 600x1200, oak, PVC					
	P60120R ivory	Grill 600x1200, ivory, PVC					
	P60150R beige	Grill 600x1500, beige, PVC	O	2,17	0,154	5	11,65
	P60150R	Grill 600x1500, PVC					
	P60150R cherry	Grill 600x1500, cherry, PVC					
	P60150R oak	Grill 600x1500, oak, PVC					
	P60150R ivory	Grill 600x1500, ivory, PVC					

Model	B	A
P6060R	600	600
P6090P	900	600
P60120P	1200	600
P60150P	1500	600

Графическое изображение	Артикул	Название	Склад/ Заказ	Вес индивид.	Объем коробки	Кол-во изделий	Вес Брутто
Нагнетателни вентили							
	10KP	Supply valve D100	O	1,3	0,020	1	1,3
	10KP-02	Supply valve D100					
	10KP-04	Supply valve D100					
	10KP-05	Supply valve D100					
	10KP1	Supply valve D100	O	1,8	0,037	1	1,8
	10KP1-02	Supply valve D100					
	10KP1-04	Supply valve D100					
	10KP1-05	Supply valve D100					
	12,5KP	Supply valve D125	O	1,44	0,035	1	1,44
	12,5KP-02	Supply valve D125					
	12,5KP-04	Supply valve D125					
	12,5KP-05	Supply valve D125					
	12,5KP1	Supply valve D125	O	2,32	0,061	1	2,32
	12,5KP1-02	Supply valve D125					
	12,5KP1-04	Supply valve D125					
	12,5KP1-05	Supply valve D125					
	16KP	Supply valve D160	O	1,9	0,042	1	1,9
	16KP-02	Supply valve D160					
	16KP-04	Supply valve D160					
	16KP-05	Supply valve D160					
	16KP1	Supply valve D160	O	2,8	0,073	1	2,8
	16KP1-02	Supply valve D160					
	16KP1-04	Supply valve D160					
	16KP1-05	Supply valve D160					
Скоби							
 Ширина ленты хомута: 9 мм	Collar 8-12	Steel hose clamp 8-12 mm, width 9 mm	W	0,011	0,011	1000	13
	Collar 10-16	Steel hose clamp 10-16 mm, width 9 mm	W	0,012	0,011	1000	13,4
	Collar 12-20	Steel hose clamp 12-20 mm, width 9 mm	W	0,013	0,015	1000	14,5
	Collar 16-25	Steel hose clamp 16-25 mm, width 9 mm	W	0,014	0,019	500	7,3
	Collar 20-32	Steel hose clamp 20-32 mm, width 9 mm	W	0,016	0,021	800	17
	Collar 25-40	Steel hose clamp 25-40 mm, width 9 mm	W	0,018	0,030	800	19
	Collar 32-50	Steel hose clamp 32-50 mm, width 9 mm	W	0,02	0,035	800	20
	Collar 40-60	Steel hose clamp 40-60 mm, width 9 mm	W	0,022	0,025	500	12
	Collar 50-70	Steel hose clamp 50-70 mm, width 9 mm	W	0,024	0,035	500	13
	Collar 70-90	Steel hose clamp 70-90 mm, width 9 mm	W	0,025	0,040	500	15,5
	Collar 90-110	Steel hose clamp 90-110 mm, width 9 mm	W	0,032	0,052	500	15,5
	Collar 100-120	Steel hose clamp 100-120 mm, width 9 mm	W	0,033	0,036	250	9,5
	Collar 110-130	Steel hose clamp 110-130 mm, width 9 mm	W	0,036	0,043	250	9,8
	Collar 120-140	Steel hose clamp 120-140 mm, width 9 mm	W	0,039	0,041	250	9,4
	Collar 130-150	Steel hose clamp 130-150 mm, width 9 mm	W	0,04	0,044	250	9,8
	Collar 140-160	Steel hose clamp 140-160 mm, width 9 mm	W	0,042	0,052	250	10,2
	Collar 150-170	Steel hose clamp 150-170 mm, width 9 mm	W	0,043	0,052	250	10,4
	Collar 160-180	Steel hose clamp 160-180 mm, width 9 mm	W	0,044	0,052	250	10,6
	Collar 190-210	Steel hose clamp 190-210 mm, width 9 mm	W	0,052	0,059	250	13,5
	Collar 210-230	Steel hose clamp 210-230 mm, width 9 mm	W	0,055	0,052	200	10,4
	Collar 240-260	Steel hose clamp 240-260 mm, width 9 mm	W	0,058	0,052	200	12,5
	Collar 310-330	Steel hose clamp 310-330 mm, width 9 mm	W	0,075	0,052	200	14,3
	200 PH	Plastic ties 4,8 x 200 mm (80 pcs.)	W	0,092	0,038	80	7,89
	250 PH	Plastic ties 4,8 x 250 mm (60 pcs.)	W	0,129	0,038	60	8,27
	300 PH	Plastic ties 4,8 x 300 mm (60 pcs.)	W	0,143	0,038	60	9,11
	350 PH	Plastic ties 4,8 x 350 mm (60 pcs.)	W	0,176	0,038	60	11,09
	400 PH	Plastic ties 4,8 x 400 mm (90 pcs.)	W	0,225	0,082	90	21,01
	450 PH	Plastic ties 4,8 x 450 mm (90 pcs.)	W	0,27	0,082	90	25,06
	500 PH	Plastic ties 4,8 x 500 mm (90 pcs)	W	0,31	0,082	90	28,66
	LMT	Cloth duct adhesive tape 50 mm x 30 m.	W	0,286	0,035	24	7,1
	LMA	Aluminum reinforced tape 50 mm x 50 m, 120 microns.	W	0,537	0,035	24	13,31
	LMS	Aluminum tape with glassfiber mesh 50 mm x 50 m, 150 micron.	W	0,6	0,035	24	14,83
	LM	Aluminum foil duct tape 50 mm x 50 m, 30 micron.	W	0,472	0,025	24	11,68

PVC тръби в индивидуална опаковка

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	511VP	Rectangular duct 55x110, L=0,5m, PVC	W	0,367	0,120	35	13,83
	511VP1	Rectangular duct 55x110, L=1m, PVC	W	0,733	0,240	35	27,63
	511VP1,5	Rectangular duct 55x110, L=1,5m, PVC	W	1,1	0,360	35	40,97
	511VP2	Rectangular duct 55x110, L=2m, PVC	W	1,467	0,480	35	54,28
	612VP	Rectangular duct 60x120, L=0,5m, PVC	W	0,435	0,120	27	12,74
	612VP1	Rectangular duct 60x120, L=1m, PVC	W	0,87	0,240	27	25,46
	612VP1,5	Rectangular duct 60x120, L=1,5m, PVC	W	1,305	0,360	27	37,70
	612VP2	Rectangular duct 60x120, L=2m, PVC	W	1,74	0,480	27	49,93
	620VP	Rectangular duct 60x204, L=0,5m, PVC	W	0,695	0,120	16	12,12
	620VP1	Rectangular duct 60x204, L=1m, PVC	W	1,38	0,240	16	24,05
	620VP1.5	Rectangular duct 60x204, L=1,5m, PVC	W	2,085	0,360	16	35,83
	620VP2	Rectangular duct 60x204, L=2m, PVC	W	2,76	0,480	16	47,11
	10VP	Round duct D100, L=0,5m, PVC	W	0,39	0,120	22	9,58
	10VP1	Round duct D100, L=1m, PVC	W	0,78	0,240	22	19,13
	10VP1,5	Round duct D100, L=1,5m, PVC	W	1,17	0,360	22	28,21
	10VP2	Round duct D100, L=2m, PVC	W	1,56	0,480	22	37,27
	12,5VP	Round duct D125, L=0,5m, PVC	W	0,488	0,120	14	7,825
	12,5VP1	Round duct D125, L=1m, PVC	W	0,975	0,240	14	15,62
	12,5VP1,5	Round duct D125, L=1,5m , PVC	W	1,463	0,360	14	22,94
	12,5VP2	Round duct D125, L=2m, PVC	W	1,95	0,480	14	30,25
	16VP	Round duct D160, L=0,5m, PVC	W	0,685	0,120	8	6,48
	16VP1	Round duct D160, L=1m, PVC	W	1,37	0,240	8	12,93
	16VP1,5	Round duct D160, L=1,5m, PVC	W	2,055	0,360	8	18,91
	16VP2	Round duct D160, L=2m, PVC	W	2,74	0,480	8	24,87






Model	VP	VP1	VP1,5	VP2
A	500	1000	1500	2000

Model	511...	612...	620...
a	110	120	204
b	55	60	60

Model	VP	VP1	VP1,5	VP2
A	500	1000	1500	2000

Model	10	12,5	16
d	100	125	160

Компоненти за PVC тръби

	511KGP	Horizontal flat elbow 90° for rectangular ducts 55x110	W	0,1	0,054	36	4,2
	612KGP	Horizontal flat elbow 90° for rectangular ducts 60x120	W	0,153	0,054	24	4,272
	620KGP	Horizontal flat elbow 90° for rectangular ducts 60x204	W	0,288	0,082	16	5,368
	511KVP	Vertical flat elbow 90° for rectangular ducts 55x110	W	0,074	0,054	42	3,708
	612KVP	Vertical flat elbow 90° for rectangular ducts 60x120	W	0,103	0,054	24	3,072
	620KVP	Vertical flat elbow 90° for rectangular ducts 60x204	W	0,146	0,054	18	3,228
	511KRP	Horizontal flat elbow of different angles for rectangular ducts 55x110	W	0,084	0,054	38	3,792
	612KRP	Horizontal flat elbow of different angles for rectangular ducts 60x120	W	0,111	0,054	30	3,93
	620KRP	Horizontal flat elbow of different angles for rectangular ducts 60x204	W	0,247	0,082	18	5,206
	511TPP	T-joint for rectangular ducts 55x110	W	0,118	0,054	28	3,904
	612TPP	T-joint for rectangular ducts 60x120	W	0,167	0,054	18	3,606
	620TPP	T-joint for rectangular ducts 60x204	W	0,34	0,082	14	5,52
	511RP620P	Eccentric connector for rectangular ducts 55x110/60x204	W	0,091	0,019	12	1,372
	612RP20P	Eccentric connector for rectangular ducts 60x120/60x204	W	0,07	0,019	15	1,33











Model	511KGP	612KGP	620KGP
axb	110x55	120x60	204x60
A	145	162	246

Model	511KVP	612KVP	620KVP
axb	110x55	120x60	204x60
A	89,2	102	102

Model	511KRP	612KRP	620KRP
axb	110x55	120x60	204x60
A	106,2	115,4	199,4

Model	511TPP	612TPP	620TPP
axb	110x55	120x60	204x60
A	173	194	278
B	143	159	243

Model	511RP620P	612RP20P
axb	60x204	60x204
A	94	62
B	110x55	120x60

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	511SKP	Connector for rectangular ducts 55x110	W	0,053	0,019	20	1,34	
	612SKP	Connector for rectangular ducts 60x120	W	0,06	0,019	15	1,18	
	620SKP	Connector for rectangular ducts 60x204	W	0,092	0,027	14	1,768	
	511SKPO	Connector for rectangular ducts with back valve 55x110	W	0,061	0,019	20	1,504	
	612SKPO	Connector for rectangular ducts with back valve 60x120	W	0,073	0,019	15	1,375	
	620SKPO	Connector for rectangular ducts with back valve 60x204	W	0,114	0,027	14	2,076	
	612NPP	Butt strap 150x150 for rectangular duct 60x120	W	0,038	0,038	250	10,03	
	620NPP	Butt strap 264x119 for rectangular duct 60x204	W	0,044	0,038	250	11,53	
	511DKP	Rectangular duct holder 60x120	W	0,022	0,019	64	1,688	
	612DKP	Rectangular duct holder 60x120	W	0,021	0,019	64	1,624	
	620DKP	Rectangular duct holder 60x204	W	0,027	0,019	35	1,225	
	10KKP	Round elbow 90° D100	W	0,129	0,082	27	4,243	
	12,5KKP	Round elbow 90° D125	W	0,181	0,082	18	4,018	
	16KKP	Round elbow 90° D160	W	0,268	0,082	10	3,44	
	10KKP 45º	Round elbow 45° D100	W	0,084	0,082	33	3,532	
	12,5KKP 45º	Round elbow 45° D125	W	0,112	0,082	24	3,448	
	16KKP 45º	Round elbow 45° D160	W	0,165	0,082	12	2,74	
	10TP	T-joint for round ducts D100	W	0,176	0,082	20	4,28	
	12,5TP	T-joint for round ducts D125	W	0,242	0,082	14	4,148	
	16TP	T-joint for round ducts D160	W	0,359	0,082	6	2,914	
	1012,5REP	Eccentric connector for round ducts D100/125	W	0,062	0,019	12	1,024	
	12,516REP	Eccentric connector for round ducts D125/160	W	0,071	0,054	24	2,304	
	1012,5RP	Connector for round ducts central D100/125	W	0,059	0,019	20	1,46	
	10F	Flange D100	W	0,06	0,054	51	3,66	
	12,5F	Flange D125	W	0,074	0,054	32	2,968	
	16F	Flange D160	W	0,101	0,019	8	1,088	
	20F	Flange D200	W	0,127	0,027	6	1,242	

Model	511SKP	612SKP	620SKP
axb	110x55	120x60	204x60
A	65	70	70

Model	511SKPO	612SKPO	620SKPO
axb	110x55	120x60	204x60
A	65	70	70

Model	612NPP	620NPP
axb	120x60	204x60
A	150	264
B	150	119
X	135	250
Y	135	105

Model	511DKP	612DKP	620DKP
axb	110x55	120x60	204x60










Model	10KKP	12,5KKP	16KKP
d	100	125	160
A	143	168,5	204

Model	10KKP 45°	12,5KKP 45°	16KKP 45°
d	100	125	160

Model	10TP	12,5TP	16TP
d	100	125	160
A	186	212	244
B	143,5	169	203

Model	1012,5REP	12,516REP
d	100	125
D	125	160

Model	10F	12,5F	16F	20F
d	100	125	160	200
D	135	160	195	235
X	125	150	185	225
C	55	55	55	55

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	10FLR	Flange with locking ring D100	W	0,064	0,054	51	4,2	
	12,5FLR	Flange with locking ring D125	W	0,082	0,054	32	3,4	
	16FLR	Flange with locking ring D160	W	0,113	0,019	8	1,3	
	20FLR	Flange with locking ring D200	W	0,144	0,027	6	1,4	
	10LR	Locking ring for flange D100	W	0,014	0,019	150	2,38	
	12,5LR	Locking ring for flange D125	W	0,019	0,019	100	2,18	
	16LR	Locking ring for flange D160	W	0,027	0,019	80	2,44	
	20LR	Locking ring for flange D200	W	0,039	0,027	50	2,43	
	1616F12	Butt strap 160x160 with flange D125	W	0,028	0,019	38	1,344	
	1421F12	Butt strap 139x209 with flange D125	W	0,067	0,019	15	1,285	
	1111F10	Butt strap 113x113 with flange D100	W	0,07	0,019	14	1,26	
	10NKP	Butt strap 150x150 for round duct D100	W	0,036	0,038	250	9,53	
	12,5NKP	Butt strap 170x170 for round duct D125	W	0,039	0,038	250	10,28	
	16NKP	Butt strap 205x205 for round duct D160	W	0,053	0,038	150	8,48	
	10SKP	Connector for round ducts D100	W	0,046	0,019	24	1,384	
	12,5SKP	Connector for round ducts D125	W	0,061	0,019	12	1,012	
	16SKP	Connector for round ducts D160	W	0,07	0,054	24	2,28	
	10SKPO	Connector for round ducts with back valve D100	W	0,058	0,019	24	1,672	
	12,5SKPO	Connector for round ducts with back valve D125	W	0,081	0,019	12	1,252	
	16SKPO	Connector for round ducts with back valve D160	W	0,105	0,054	24	3,12	
	10DKP	Round duct holder D100	W	0,029	0,019	50	1,73	
	12,5DKP	Round duct holder D125	W	0,034	0,019	35	1,47	
	16DKP	Round duct holder D160	W	0,044	0,019	28	1,512	
	10DSKP	Holding fastener with sealant for round ducts D100	W	0,065	0,019	16	1,32	
	12,5DSKP	Holding fastener with sealant for round ducts D125	W	0,076	0,019	12	1,192	
	16DSKP	Holding fastener with sealant for round ducts D160	W	0,099	0,019	10	1,27	
	511SP10KP	Eccentric connector between rectangular duct 55x110 and round duct D100	W	0,092	0,082	54	5,595	
	612SP10KP	Eccentric connector between rectangular duct 60x120 and round duct D100	W	0,146	0,082	32	5,432	
	620SP12,5KP	Eccentric connector between rectangular duct 60x204 and round duct D125	W	0,174	0,082	14	2,6	
	620SP16KP	Eccentric connector between rectangular duct 60x204 and round duct D160	W	0,222	0,082	13	3,646	

Model	10FLR	12,5FLR	16FLR	20FLR
d	100	125	160	200
D	139	160	195	240

Model	10LR	12,5LR	16LR	20LR
d	99	124	159	199
D	139	165	200	240

Model	1111F10	1616F12	1421F12
d	100	125	125
A	113	164	139
B	113	164	209
C	28,5	34	34
X	85	130	110
Y	85	130	180

Model	10NKP	12,5NKP	16NKP
d	105	130	165
A	150	170	205
X	135	156	190










Model	10SKP	12,5SKP	16SKP
d	100	125	160
A	62	62	62

Model	10SKPO	12,5SKPO	16SKPO
d	100	125	160
A	62	62	62

Model	10DKP	12,5DKP	16DKP
d	103,4	128,4	163,4
A	117,5	141,9	171,9
B	109,4	134,4	163,4

Model	10DSKP	12,5DSKP	16DSKP
d	104	129	164
A	119	144	179
B	138	163	198
X	122	147	182

Model	511SP10KP	612SP10KP	620SP12,5KP	620SP16KP
a×b	55x110	60x120	60x204	60x204
d	100	100	125	160
A	137	178	178	178

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	511SK10FP	90° connector between rectangular duct 55x110 and flanged air distributor D100	W	0,085	0,054	40	4	
	612SK10FP	90° connector between rectangular duct 60x120 and flanged air distributor D100	W	0,112	0,054	30	3,96	
	620SK12,5FP	90° connector between rectangular duct 60x204 and flanged air distributor D125	W	0,156	0,082	24	4,504	
	620SK10FP	90° connector between rectangular duct 60x204 and flanged air distributor D100	W	0,144	0,082	24	4,216	
	620SK16FP	90° connector between rectangular duct 60x204 and flanged air distributor D160	W	0,197	0,082	18	4,306	
	511SK10KP	90° connector between rectangular duct 55x110 and round duct D100	W	0,085	0,054	40	4	
	612SK10KP	90° connector between rectangular duct 60x120 and round duct D100	W	0,1	0,054	30	3,6	
	620SK12,5KP	90° connector between rectangular duct 60x204 and round duct D125	W	0,138	0,082	24	4,744	
	620SK10KP	90° connector between rectangular duct 60x204 and round duct D100	W	0,166	0,082	24	4,744	
	620SK16KP	90° connector between rectangular duct 60x204 and round duct D160	W	0,202	0,082	18	4,396	
	511TF10P	T-joint between rectangular ducts 55x110 and flanged air distributor D100	W	0,109	0,054	30	3,87	
	612TF10P	T-joint between rectangular ducts 60x120 and flanged air distributor D100	W	0,14	0,054	20	3,4	
	620TF10P	T-joint between rectangular ducts 60x204 and flanged air distributor D100	W	0,208	0,082	24	5,752	
	620TF12,5P	T-joint between rectangular ducts 60x204 and flanged air distributor D125	W	0,226	0,082	17	4,602	
	620TF16P	T-joint between rectangular ducts 60x204 and flanged air distributor D160	W	0,278	0,082	16	5,208	
	PU15.12.10.8	Central universal connector for round ducts D150/125/100/80	W	0,136	0,054	18	3,048	
	PU16.15.12,5.12.10.8	Eccentric universal connector for round ducts D160/150/125/120/100/80	W	0,121	0,054	18	2,778	
	1212SP12.5KP	Central connector between rectangular ducts and round ducts 126x126/D125	W	0,122	0,054	12	2,064	
	09KV	Connector between square section 90x90 and round duct D100	W	0,007	0,025	48	0,45	
	10KV	Connector between square section 100x100 and round duct D100	W	0,008	0,015	30	0,35	
	511PTP	Plastic butt strap 150x150 with flange 55x110	W	0,048	0,019	25	1,48	
	612PTG	Horizontal plastic butt strap 205x240 with flange 60x120	W	0,092	0,082	50	5,36	
	612PTV	Vertical plastic butt strap 205x240 with flange 60x120	W	0,092	0,082	50	5,36	
	612PTVR	Vertical plastic butt strap with grill 180x250 flange 60x120	W	0,092	0,082	50	5,36	
	612PTGR	Vertical plastic butt strap with grill 180x250 flange 60x120	W	0,092	0,082	50	5,36	


Model	511SK10FP	612SK10FP	620SK10FP	620SK12,5FP	620SK16FP
d	100	100	100	125	160
a×b	55 x 110	60 x 120	60 x 240	60 x 240	60 x 240
A	147	147	143	168	204

Model	511SK10KP	612SK10KP	620SK10KP	620SK12,5KP	620SK16KP
d	100	100	100	125	160
a×b	55 x 110	60 x 120	60 x 240	60 x 240	60 x 240
A	135	145	146	171	203

Model	511TF10P	612TF10P	620TF10P	620TF12,5P	620TF16P
d	100	100	100	125	160
a×b	55 x 110	60 x 120	60 x 240	60 x 240	60 x 240
A	171	174	174	199	234


Model	09KV	10KV
A	90	100

Model	511PTP	612PTG	612PTV
a×b	55 x 110	60 x 120	60 x 120
A	150	250	180
B	150	180	250
X	135	235	165
Y	135	165	235


Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	100PTP	Plastic butt strap 205x240 with flange D100	W	0,08	0,082	30	3,5
	110PTP	Plastic butt strap 205x240 with flange D110	W	0,08	0,082	30	3,6
	120PTP	Plastic butt strap 205x240 with flange D120	W	0,08	0,082	30	3,5
	130PTP	Plastic butt strap 205x240 with flange D130	W	0,08	0,082	30	3,5
	140PTP	Plastic butt strap 205x240 with flange D140	W	0,08	0,082	30	3,5
	150PTP	Plastic butt strap 205x240 with flange D150	W	0,08	0,082	30	3,4
	100PTPR	Plastic butt strap 205x240 with grill and with flange D100	W	0,08	0,082	30	3,6
	110PTPR	Plastic butt strap 205x240 with grill and with flange D110	W	0,08	0,082	30	3,6
	120PTPR	Plastic butt strap 205x240 with grill and with flange D120	W	0,08	0,082	30	3,5
	125PTPR	Plastic butt strap 205x240 with grill and with flange D125	W	0,08	0,082	30	3,5
	130PTPR	Plastic butt strap 205x240 with grill and with flange D130	W	0,08	0,082	30	3,6
	150PTPR	Plastic butt strap 205x240 with grill and with flange D150	W	0,08	0,082	30	3,5

Model	100PTP/PTPR	110PTP/PTPR	120PTP/PTPR	125PTP/PTPR	130PTP/PTPR	150PTP/PTPR
d	100	110	120	125	130	150


Свързващи метални елементи

	10PM	Steel connector coated with polymeric enamel, D100	W	0,093	0,082	96	9,688	
	12PM	Steel connector coated with polymeric enamel, D120	W	0,108	0,082	60	7,24	
	12,5PM	Steel connector coated with polymeric enamel, D125	W	0,12	0,082	56	7,48	
	15PM	Steel connector coated with polymeric enamel, D150	W	0,134	0,082	36	5,584	
	20PM	Steel connector coated with polymeric enamel, D200	W	0,178	0,082	24	5,032	


Model	10PM	12PM	12,5PM	15PM	20PM
d	100	120	125	150	200

	10PZ	Zinc-coated steel connector D100	W	0,098	0,082	96	10,16	
	12PZ	Zinc-coated steel connector D120	W	0,114	0,082	60	7,6	
	12,5PZ	Zinc-coated steel connector D125	W	0,118	0,082	56	7,368	
	15PZ	Zinc-coated steel connector D150	W	0,148	0,082	36	6,088	

Model	10PZ	12PZ	12,5PZ	15PZ
d	100	120	125	150

	10FM	Steel flange coated with polymeric enamel D100	W	0,165	0,082	95	16,43	
	12FM	Steel flange coated with polymeric enamel D120	W	0,179	0,082	60	11,5	
	12,5FM	Steel flange coated with polymeric enamel D125	W	0,187	0,082	60	11,98	
	15FM	Steel flange coated with polymeric enamel D150	W	0,24	0,082	40	10,36	

Model	10FM	12FM	12,5FM	15FM
d	100	120	125	150
X	114	134	139	164
D	128	148	153	178

	10TM	Steel T-joint coated with polymeric enamel D100	W	0,343	0,082	24	8,992	
	12TM	Steel T-joint coated with polymeric enamel D120	W	0,41	0,082	16	7,32	
	12,5TM	Steel T-joint coated with polymeric enamel D125	W	0,452	0,082	16	7,992	
	15TM	Steel T-joint coated with polymeric enamel D150	W	0,59	0,082	12	7,84	





Model	10TM	12TM	12,5TM	15TM
d	100	120	125	150
A	200	215	220	246
B	98	110	110	123

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight


Гъвкави блиндирани въздуховоди

	AF102	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	1,165	0,013	1	1,165
	AF127	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	1,371	0,013	1	1,371
	AF152	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	1,591	0,024	1	1,591
	AF160	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	1,662	0,024	1	1,662
	AF203	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	2,041	0,029	1	2,041
	AF254	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	2,491	0,043	1	2,491
	AF315	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	3,029	0,045	1	3,029
	AF356	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	3,391	0,053	1	3,391
	AF406	Flexible armoured air duct, metallized film 70 micron, L up to 10 m	W	3,755	0,057	1	3,755
	AF-P102	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	1,35	0,013	1	1,35
	AF-P127	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	1,25	0,013	1	1,25
	AF-P152	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	1,47	0,024	1	1,47
	AF-P160	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	1,47	0,024	1	1,47
	AF-P203	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	1,87	0,029	1	1,87
	AF-P254	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	2,85	0,043	1	2,85
	AF-P315	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	3,5	0,045	1	3,5
	AF-P356	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	3,97	0,053	1	3,97
	AF-P406	Flexible armoured air duct, metallized film 105 micron, L up to 10 m	O	4,34	0,057	1	4,34
	AF102 thermal	Flexible armoured air duct, with thermal protection 30 mm, metallized film 70 micron, L up to 10 m	O	2,6	0,013	1	2,6
	AF127 thermal	Flexible armoured air duct, with thermal protection 30 mm, metallized film 70 micron, L up to 10 m	O	2,99	0,013	1	2,99
	AF152 thermal	Flexible armoured air duct, with thermal protection, 30 mm, metallized film 70 micron, L up to 10 m	O	3,96	0,024	1	3,96
	AF160 thermal	Flexible armoured air duct, with thermal protection 30 mm, metallized film 70 micron, L up to 10 m	O	3,96	0,024	1	3,96
	AF203 thermal	Flexible armoured air duct, with thermal protection 30 mm, metallized film 70 micron, L up to 10 m	O	4,56	0,029	1	4,56
	AF254 thermal	Flexible armoured air duct, with thermal protection 30 mm, metallized film 70 micron, L up to 10 m	O	5,89	0,043	1	5,89
	AF315 thermal	Flexible armoured air duct, with thermal protection 30 mm, metallized film 70 micron, L up to 10 m	O	6,74	0,045	1	6,74


Гъвкави алуминиеви въздуховоди

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	08VA	Aluminum flexible goffered air duct, L up to 3 m, D 80 mm	W	0,28	0,082	28	8,84
	10VA	Aluminum flexible goffered air duct, L up to 3 m, D 100 mm	W	0,26	0,082	20	6,2
	11VA	Aluminum flexible goffered air duct, L up to 3 m, D 110 mm	W	0,28	0,082	15	5,2
	11,5VA	Aluminum flexible goffered air duct, L up to 3 m, D 115 mm	W	0,285	0,082	14	4,99
	12VA	Aluminum flexible goffered air duct, L up to 3 m, D 120 mm	W	0,29	0,082	14	5,06
	12,5VA	Aluminum flexible goffered air duct, L up to 3 m, D 125 mm	W	0,315	0,082	12	4,78
	13VA	Aluminum flexible goffered air duct, L up to 3 m, D 130 mm	W	0,325	0,082	11	4,575
	13,5VA	Aluminum flexible goffered air duct, L up to 3 m, D 135 mm	W	0,335	0,082	11	4,685
	14VA	Aluminum flexible goffered air duct, L up to 3 m, D 140 mm	W	0,345	0,082	11	4,795
	15VA	Aluminum flexible goffered air duct, L up to 3 m, D 150 mm	W	0,375	0,082	8	4
	16VA	Aluminum flexible goffered air duct, L up to 3 m, D 160 mm	W	0,385	0,082	7	3,695
	20VA	Aluminum flexible goffered air duct, L up to 3 m, D 200 mm	W	0,495	0,082	4	2,98
	25VA	Aluminum flexible goffered air duct, L up to 3 m, D 250 mm	W	0,843	0,288	6	7,200
	31,5VA	Aluminum flexible goffered air duct, L up to 3 m, D 315 mm	W	1,158	0,288	4	6,771
	08BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 80 mm	W	0,28	0,082	28	8,84
	10BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 100 mm	W	0,26	0,082	20	6,2
	11BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 110 mm	W	0,28	0,082	15	5,2
	11,5BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 115 mm	W	0,285	0,082	14	4,99
	12BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 120 mm	W	0,29	0,082	14	5,06
	12,5BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 125 mm	W	0,315	0,082	12	4,78
	13BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 130 mm	W	0,325	0,082	11	4,575
	13,5BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 135 mm	W	0,335	0,082	11	4,685
	14BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 140 mm	W	0,345	0,082	11	4,795
	15BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 150 mm	W	0,375	0,082	8	4
	16BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 160 mm	W	0,385	0,082	7	3,695
	20BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 200 mm	W	0,495	0,082	4	2,98
	25BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 250 mm	W	0,843	0,288	6	7,200
	31,5BA ULTRA	Aluminum flexible goffered air duct, L up to 3,1 m, D 315 mm	W	1,158	0,288	4	6,771
	100PTM (30x30)	Butt strap d 100	W	0,354	0,038	15	5,84
	110PTM (30x30)	Butt strap d 110	W	0,352	0,038	15	5,81
	115PTM (30x30)	Butt strap d 115	W	0,35	0,038	15	5,78
	120PTM (30x30)	Butt strap d 120	W	0,349	0,038	15	5,765
	125PTM (30x30)	Butt strap d 125	W	0,347	0,038	15	5,735
	130PTM (30x30)	Butt strap d 130	W	0,345	0,038	15	5,705
	135PTM (30x30)	Butt strap d 135	W	0,343	0,038	15	5,675
	140PTM (30x30)	Butt strap d 140	W	0,341	0,038	15	5,645
	150PTM (30x30)	Butt strap d 150	W	0,336	0,038	15	5,57
	80PTMR	Metal butt strap 196x236 with grill and flange D80	W	0,204	0,019	20	4,36
	100PTMR	Metal butt strap 196x236 with grill and flange D100	W	0,202	0,019	20	4,32
	110PTMR	Metal butt strap 196x236 with grill and flange D110	W	0,2	0,019	20	4,28
	115PTMR	Metal butt strap 196x236 with grill and flange D115	W	0,197	0,019	20	4,22
	120PTMR	Metal butt strap 196x236 with grill and flange D120	W	0,193	0,019	20	4,14
	125PTMR	Metal butt strap 196x236 with grill and flange D125	W	0,192	0,019	19	3,928
	130PTMR	Metal butt strap 196x236 with grill and flange D130	W	0,189	0,019	19	3,871
	135PTMR	Metal butt strap 196x236 with grill and flange D135	W	0,186	0,019	19	3,814
	140PTMR	Metal butt strap 196x236 with grill and flange D140	W	0,181	0,019	19	3,719
	150PTMR	Metal butt strap 196x236 with grill and flange D150	W	0,179	0,019	19	3,681
	80PTM	Metal butt strap 196x236 with flange D80	W	0,2	0,019	20	4,28
	100PTM	Metal butt strap 196x236 with flange D100	W	0,19	0,019	20	4,08
	110PTM	Metal butt strap 196x236 with flange D110	W	0,198	0,019	20	4,24
	115PTM	Metal butt strap 196x236 with flange D115	W	0,198	0,019	20	4,24
	120PTM	Metal butt strap 196x236 with flange D120	W	0,193	0,019	20	4,14
	125PTM	Metal butt strap 196x236 with flange D125	W	0,192	0,019	19	3,928
	130PTM	Metal butt strap 196x236 with flange D130	W	0,187	0,019	19	3,833
	135PTM	Metal butt strap 196x236 with flange D135	W	0,186	0,019	19	3,814
	140PTM	Metal butt strap 196x236 with flange D140	W	0,17	0,019	19	3,51
	150PTM	Metal butt strap 196x236 with flange D150	W	0,165	0,019	19	3,415
	160PTM	Metal butt strap 196x236 with flange D160	W	0,165	0,019	19	3,415



street line Серия за външен монтаж: решетки

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1515RRN	Outside detachable grill 150x150, ASA plastic	W	0,062	0,027	50	3,08	
	1515RRN brown	Outside detachable grill 150x150, ASA plastic						
	1515PPH terracotta	Outside detachable grill 150x150, ASA plastic						
	1515RRN grey	Outside detachable grill 150x150, ASA plastic						
	1515RRN Ivory	Outside detachable grill 150x150, ASA plastic						
	1825RRN	Outside detachable grill 180x250, ASA plastic	NEW!					
	1825RRN brown	Outside detachable grill 180x250, ASA plastic						
	1825PPH terracotta	Outside detachable grill 180x250, ASA plastic						
	1825RRN grey	Outside detachable grill 180x250, ASA plastic						
	1825RRN Ivory	Outside detachable grill 180x250, ASA plastic						
	2020RRN	Outside detachable grill 200x200, ASA plastic	W	0,097	0,038	40	4,41	
	2020RRN brown	Outside detachable grill 200x200, ASA plastic						
	2020RRN terracotta	Outside detachable grill 200x200, ASA plastic						
	2020RRN grey	Outside detachable grill 200x200, ASA plastic						
	2020RRN Ivory	Outside detachable grill 200x200, ASA plastic						
	2030RRN	Outside detachable grill 200x300, ASA plastic	W	0,149	0,054	30	5,07	
	2030RRN brown	Outside detachable grill 200x300, ASA plastic						
	2030RRN terracotta	Outside detachable grill 200x300, ASA plastic						
	2030RRN grey	Outside detachable grill 200x300, ASA plastic						
	2030RRN Ivory	Outside detachable grill 200x300, ASA plastic						
	2525RRN	Outside detachable grill 250x250, ASA plastic	W	0,179	0,054	34	6,686	
	2525RRN brown	Outside detachable grill 250x250, ASA plastic						
	2525RRN terracotta	Outside detachable grill 250x250, ASA plastic						
	2525RRN grey	Outside detachable grill 250x250, ASA plastic						
	2525RRN Ivory	Outside detachable grill 250x250, ASA plastic						
	3535RRN	Outside detachable grill 350x350, ASA plastic	W	0,338	0,054	18	6,684	
	3535RRN brown	Outside detachable grill 350x350, ASA plastic						
	3535RRN terracotta	Outside detachable grill 350x350, ASA plastic						
	3535RRN grey	Outside detachable grill 350x350, ASA plastic						
	3535RRN Ivory	Outside detachable grill 350x350, ASA plastic						

Model	1515RRN	2020RRN	2030RRN	2525RRN	3535RRN
A	150	200	200	250	350
B	150	200	300	250	350
X	115	152	152	202	302
Y	116	156	256	206	306
C	12	14	20	17	22


Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1515RRPN	Outside adjustable detachable grill 150x150, ASA plastic	W	0,089	0,027	50	4,43	
	1515RRPN brown.	Outside adjustable detachable grill 150x150, ASA plastic						
	1515RRPN terracotta	Outside adjustable detachable grill 150x150, ASA plastic						
	1515RRPN grey	Outside adjustable detachable grill 150x150, ASA plastic						
	1515RRPN Ivory	Outside adjustable detachable grill 150x150, ASA plastic						
	1825RRPN	Outside adjustable detachable grill 180x250, ASA plastic	NEW!					
	1825RRPN brown	Outside adjustable detachable grill 180x250, ASA plastic						
	1825RRPN terracotta	Outside adjustable detachable grill 180x250, ASA plastic						
	1825RRPN grey	Outside adjustable detachable grill 180x250, ASA plastic						
	1825RRPN Ivory	Outside adjustable detachable grill 180x250, ASA plastic						
	2020RRPN	Outside adjustable detachable grill 200x200, ASA plastic	W	0,143	0,038	40	6,25	
	2020RRPN brown	Outside adjustable detachable grill 200x200, ASA plastic						
	2020RRPN terracotta	Outside adjustable detachable grill 200x200, ASA plastic						
	2020RRPN grey	Outside adjustable detachable grill 200x200, ASA plastic						
	2020RRPN Ivory	Outside adjustable detachable grill 200x200, ASA plastic						
	2030RRPN	Outside adjustable detachable grill 200x300, ASA plastic	W	0,231	0,054	30	7,53	
	2030RRPN brown	Outside adjustable detachable grill 200x300, ASA plastic						
	2030RRPN terracotta	Outside adjustable detachable grill 200x300, ASA plastic						
	2030RRPN grey	Outside adjustable detachable grill 200x300, ASA plastic						
	2030RRPN Ivory	Outside adjustable detachable grill 200x300, ASA plastic						
	2525RRPN	Outside adjustable detachable grill 250x250, ASA plastic	W	0,258	0,054	34	9,372	
	2525RRPN brown	Outside adjustable detachable grill 250x250, ASA plastic						
	2525RRPN terracotta	Outside adjustable detachable grill 250x250, ASA plastic						
	2525RRPN grey	Outside adjustable detachable grill 250x250, ASA plastic						
	2525RRPN Ivory	Outside adjustable detachable grill 250x250, ASA plastic						
	3535RRPN	Outside adjustable detachable grill 350x350, ASA plastic	W	0,561	0,054	18	10,69	
	3535RRPN brown	Outside adjustable detachable grill 350x350, ASA plastic						
	3535RRPN terracotta	Outside adjustable detachable grill 350x350, ASA plastic						
	3535RRPN grey	Outside adjustable detachable grill 350x350, ASA plastic						
	3535RRPN Ivory	Outside adjustable detachable grill 350x350, ASA plastic						

Model	1515RRPN	2020RRPN	2030RRPN	2525RRPN	3535RRPN
A	150	200	200	250	350
B	150	200	300	250	350
X	115	152	152	202	302
Y	116	156	256	206	306
C	12	14	20	17	22


Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	10RKN	Outside round grill D130 with flange D100, ASA plastic	W	0,048	0,027	55	3,12	
	10RKN grey	Outside round grill D130 with flange D100, ASA plastic						
	10RKN light grey	Outside round grill D130 with flange D100, ASA plastic						
	10RKN terracotta	Outside round grill D130 with flange D100, ASA plastic						
	10RKN brown	Outside round grill D130 with flange D100, ASA plastic						
	10RKN Ivory	Outside round grill D130 with flange D100, ASA plastic						
	12RKN	Outside round grill D150 with flange D125, ASA plastic	W	0,063	0,027	34	2,622	
	12RKN grey	Outside round grill D150 with flange D125, ASA plastic						
	12RKN light grey	Outside round grill D150 with flange D125, ASA plastic						
	12RKN terracotta	Outside round grill D150 with flange D125, ASA plastic						
	12RKN brown	Outside round grill D150 with flange D125, ASA plastic						
	12RKN Ivory	Outside round grill D150 with flange D125, ASA plastic						
	15RKN	Outside round grill D200 with flange D150, ASA plastic	W	0,121	0,038	35	4,765	
	15RKN grey	Outside round grill D200 with flange D150, ASA plastic						
	15RKN light grey	Outside round grill D200 with flange D150, ASA plastic						
	15RKN terracotta	Outside round grill D200 with flange D150, ASA plastic						
	15RKN brown	Outside round grill D200 with flange D150, ASA plastic						
	15RKN Ivory	Outside round grill D200 with flange D150, ASA plastic						
	16RKN	Outside round grill D200 with flange D160, ASA plastic	W	0,085	0,038	35	3,505	
	16RKN grey	Outside round grill D200 with flange D160, ASA plastic						
	16RKN light grey	Outside round grill D200 with flange D160, ASA plastic						
	16RKN terracotta	Outside round grill D200 with flange D160, ASA plastic						
	16RKN brown	Outside round grill D200 with flange D160, ASA plastic						
	16RKN Ivory	Outside round grill D200 with flange D160, ASA plastic						
	10RKM	Outside round grill with screen D125 with flange D100, Aluminum	W	0,14	0,019	45	6,58	
	12,5RKM	Outside round grill with screen D150 with flange D125, Aluminum	W	0,168	0,019	32	5,656	
	16RKM	Outside round grill with screen D185 with flange D160, Aluminum	W	0,272	0,019	25	7,08	
	20RKM	Outside round grill with screen D225 with flange D200, Aluminum	W	0,403	0,019	14	5,922	
	25RKM	Outside round grill with screen D275 with flange D250, Aluminum	W	0,715	0,038	12	9,11	
	31,5RKM	Outside round grill with screen D350 with flange D315, Aluminum	W	1,226	0,038	10	12,79	

Model	10RKN	12RKN	15RKN	16RKN
d	100	125	150	160
D	130	150	200	200
C	21	21	22	21


Model	10RKM	12,5RKM	16RKM	20RKM	25RKM	31,5RKM
d	100	125	160	200	250	315
D	125	150	185	225	275	350

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1515K10FV	Exhaust wall outlet with back valve 150x150 with flange D100, ASA plastic	W	0,196	0,054	20	4,52	
	1515K10FV (beige)	Exhaust wall outlet with back valve 150x150 with flange D100, beige, ASA plastic	W					
	1515K10FV brown	Exhaust wall outlet with back valve 150x150 with flange D100, brown, ASA plastic	W					
	1515K10FV grey	Exhaust wall outlet with back valve 150x150 with flange D100, grey, ASA plastic	W					
	1515K10FV terracotta	Exhaust wall outlet with back valve 150x150 with flange D100, terracotta, ASA plastic	W					
	1515K10FV Ivory	Exhaust wall outlet with back valve 150x150 with flange D100, Ivory, ASA plastic	W					
	2121K12,5FV	Exhaust wall outlet with back valve 212x212 with flange D125, ASA plastic	W	0,346	0,082	12	4,912	
	2121K12,5FV (beige)	Exhaust wall outlet with back valve 212x212 with flange D125, beige, ASA plastic	W					
	2121K12,5FV brown	Exhaust wall outlet with back valve 212x212 with flange D125, brown, ASA plastic	W					
	2121K12,5FV grey	Exhaust wall outlet with back valve 212x212 with flange D125, grey, ASA plastic	W					
	2121K12,5FV terracotta	Exhaust wall outlet with back valve 212x212 with flange D125, terracotta, ASA plastic	W					
	2121K12,5FV Ivory	Exhaust wall outlet with back valve 212x212 with flange D125, Ivory, ASA plastic	W					
	2121K16FV	Exhaust wall outlet with back valve 212x212 with flange D160, ASA plastic	W	0,353	0,082	12	4,996	
	2121K16FV (brown)	Exhaust wall outlet with back valve 212x212 with flange D160, brown, ASA plastic	W					
	2121K16FV (beige)	Exhaust wall outlet with back valve 212x212 with flange D160,beige, ASA plastic	W					
	2121K16FV grey	Exhaust wall outlet with back valve 212x212 with flange D160, grey, ASA plastic	W					
	2121K16FV terracotta	Exhaust wall outlet with back valve 212x212 with flange D160,terracotta, ASA plastic	W					
	2121K16FV Ivory	Exhaust wall outlet with back valve 212x212 with flange D160, Ivory, ASA plastic	W					

Model	1515K10FV	2121K12,5FV	2121K16FV
A	150	212	212
d	100	125	160
E	25	25	25
C	14,5	20	20


Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	10VM	Exhaust wall outlet with flange D100, stainless steel	W	0,155	0,038	18	3,32	
	12,5VM	Exhaust wall outlet with flange D125, stainless steel	W	0,25	0,038	8	2,53	
	15VM	Exhaust wall outlet with flange D150, stainless steel	W	0,32	0,097	12	4,64	
	16VM	Exhaust wall outlet with flange D160, stainless steel	W	0,325	0,097	12	4,7	

Model	10VM	12,5VM	15VM	16VM
A	133	165	192	192
D	100	125	150	160
C	52	52	62	62

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	1515K10F	Exhaust grill with gravitational louvers 150x150 with flange D100, white, ASA plastic	W	0,105	0,054	44	5,22	
	1515K10F beige	Exhaust grill with gravitational louvers 150x150 with flange D100, beige, ASA plastic	W					
	1515K10F grey	Exhaust grill with gravitational louvers 150x150 with flange D100, grey, ASA plastic	W					
	2121K12,5F	Exhaust grill with gravitational louvers 212x212 with flange D125, white, ASA plastic	W	0,206	0,038	18	4,238	
	2121K12,5F grey	Exhaust grill with gravitational louvers 212x212 with flange D125, grey, ASA plastic	W					
	2121K16F	Exhaust grill with gravitational louvers 212x212 with flange D160, white, ASA plastic	W	0,213	0,038	16	3,938	
	2121K16F grey	Exhaust grill with gravitational louvers 212x212 with flange D160, grey, ASA plastic	W					
	2424K20F grey	Exhaust grill with gravitational louvers 242x242 with flange D200, grey, ASA plastic	W	0,263	0,027	20	5,7	
	2929K25F grey	Exhaust grill with gravitational louvers 294x294 with flange D250, grey, ASA plastic	W	0,406	0,049	20	8,84	
	3636K31,5F grey	Exhaust grill with gravitational louvers 360x360 with flange D315, grey, ASA plastic	W	0,545	0,037	10	5,9	
	4141K35,5F grey	Exhaust grill with gravitational louvers 410x410 with flange D355, grey, ASA plastic	W	0,661	0,048	10	7,5	
	4646K40F grey	Exhaust grill with gravitational louvers 456x456 with flange D400, grey, ASA plastic	W	0,825	0,066	10	9,1	



Model	1515K10F	2121K12,5F	2121K16F
A	150	212	212
a	105	150	150
D	100	125	160
H	39	45	45
h	14,5	20	20

Model	2424K20F grey	2929K25F grey	3636K31,5F grey	4141K35,5F grey	4646K40F grey
A	242	294	360	410	456
a	215	265	325	371	415
D	200	250	315	355	400
h	20	25	25	25	27



Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
Декоративни метални панели за радиатори								
	3 DMER	Decorative Metal Screen for 3-sectional heat radiator	W	1,03	0,058	10	10,9	
	3 DMER brown	Decorative Metal Screen for 3-sectional heat radiator						
	4 DMER	Decorative Metal Screen for 4-sectional heat radiator	W	1,24	0,074	10	13,1	
	4 DMER brown	Decorative Metal Screen for 4-sectional heat radiator						
	5 DMER	Decorative Metal Screen for 5-sectional heat radiator	W	1,45	0,091	10	15,3	
	5 DMER brown	Decorative Metal Screen for 5-sectional heat radiator						
	6 DMER	Decorative Metal Screen for 6-sectional heat radiator	W	1,66	0,109	10	17,5	
	6 DMER brown	Decorative Metal Screen for 6-sectional heat radiator						
	7 DMER	Decorative Metal Screen for 7-sectional heat radiator	W	1,87	0,126	10	19,7	
	7 DMER brown	Decorative Metal Screen for 7-sectional heat radiator						

Model	3DMER	4DMER	5DMER	6DMER	7DMER
Quantity of sections	3	4	5	6	7
A	290	390	490	590	690
Rib lath thickness	0,5	0,5	0,7	0,8	0,8

Framework metal thickness: 0,5

Ревизионни отвори DEKOFOT								
	1510DF	Ventilated revision hatching doors DEKOFOT with bolt handle 150x100, plated mounting	W	0,056	0,027	90	5,52	
	1510DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 150x100, plated mounting						
	1515DF	Ventilated revision hatching doors DEKOFOT with bolt handle 150x150, plated mounting	W	0,07	0,027	70	5,38	
	1515DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 150x150, plated mounting						
	1520DF	Ventilated revision hatching doors DEKOFOT with bolt handle 150x200, plated mounting	W	0,091	0,038	70	6,9	
	1520DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 150x200, plated mounting						
	2025DF	Ventilated revision hatching doors DEKOFOT with bolt handle 200x250, plated mounting	W	0,148	0,038	45	7,19	
	2025DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 200x250, plated mounting						
	2030DF	Ventilated revision hatching doors DEKOFOT with bolt handle 200x300, plated mounting	W	0,169	0,038	40	7,29	
	2030DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 200x300, plated mounting						
	2525DF	Ventilated revision hatching doors DEKOFOT with bolt handle 250x250, plated mounting	W	0,168	0,054	45	8,16	
	2525DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 250x250, plated mounting						
	3030DF	Ventilated revision hatching doors DEKOFOT with bolt handle 300x300, plated mounting	W	0,338	0,054	28	10,064	
	3030DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 300x300, plated mounting						
	3040DF	Ventilated revision hatching doors DEKOFOT with bolt handle 300x400, plated mounting	W	0,312	0,054	30	10	
	3040DF Ivory	Ventilated revision hatching doors DEKOFOT with bolt handle 300x400, plated mounting						


Model	AxB	XxY
1510DF	150x100	120x70
1515DF	150x150	120x120
1520DF	150x200	120x170
2025DF	200x250	170x220
2030DF	200x300	170x270
2525DF	250x250	220x220
3030DF	300x300	270x270
3040DF	300x400	270x370


Ревизионни отвори								
	LT1510P	Revision hatching door with bolt handle 150x100, plated mounting	W	0,053	0,027	90	5,3	
	LT1510P Ivory	Revision hatching door with bolt handle 150x100, plated mounting						
	LT1515P	Revision hatching door with bolt handle 150x150, plated mounting	W	0,672	0,027	70	5,5	
	LT1515P Ivory	Revision hatching door with bolt handle 150x150, plated mounting						
	LT1520P	Revision hatching door with bolt handle 150x200, plated mounting	W	0,090	0,039	62	6,1	
	LT1520P Ivory	Revision hatching door with bolt handle 150x200, plated mounting						
	LT2025P	Revision hatching door with bolt handle 200x250, plated mounting	W	0,128	0,039	45	6,3	
	LT2025P Ivory	Revision hatching door with bolt handle 200x250, plated mounting						
	LT2030P	Revision hatching door with bolt handle 200x300, plated mounting	W	0,156	0,039	40	6,8	
	LT2030P Ivory	Revision hatching door with bolt handle 200x300, plated mounting						
	LT2525P	Revision hatching door with bolt handle 250x250, plated mounting	W	0,156	0,055	45	7,6	
	LT2525P Ivory	Revision hatching door with bolt handle 250x250, plated mounting						
	LT3030P	Revision hatching door with bolt handle 300x300, plated mounting	NEW!					
	LT3030P Ivory	Revision hatching door with bolt handle 300x300, plated mounting						
	LT3040P	Revision hatching door with bolt handle 300x400, plated mounting	W	0,312	0,054	30	10	
	LT3040P Ivory	Revision hatching door with bolt handle 300x400, plated mounting						

Model	AxB	XxY
LT1510P	150x100	120x70
LT1515P	150x150	120x120
LT1520P	150x200	120x170
LT2025P	200x250	170x220
LT2030P	200x300	170x270
LT2525P	250x250	220x220
LT3030P	300x300	270x270
LT3040P	300x400	270x370



Push -ревизионни отвори

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	L1515	Push revision hatching door 168x168 with flange 146x146	W	0,094	0,027	32	3,488	
	L1515 oak	L1515 oak, Push revision hatching door168x168 with flange 146x146 ABS, decor						
	L1515 palisander	L1515 palisander, Push revision hatching door168x168 with flange 146x146 ABS, décor						
	L1515 black design	L1515 black design, Push revision hatching door168x168 with flange 146x146 ABS, décor						
	L1515 white design	L1515 white design, Push revision hatching door168x168 with flange 146x146 ABS, décor						
	L1515 dark gray metal	L1515 dmetal, Push revision hatching door168x168 with flange 146x146 ABS, décor						
	L1515 gray metal	L1515 gmetal, Push revision hatching door168x168 with flange 146x146 ABS, decor						
	L1515 Champagne	L1515 Champagne, Push revision hatching door168x168 with flange 146x146 ABS, décor						
	L1515 Chrome	L1515 Chrome, Push revision hatching door168x168 with flange 146x146 ABS, décor						
	L1515 Gold	L1515 Gold, Push revision hatching door168x168 with flange 146x146 ABS, decor						
	L1520	Push revision hatching door 168x218 with flange 146x196	W	0,124	0,038	32	4,498	
	L1520 oak	L1520 oak, Push revision hatching door168x218 with flange 146x196 ABS, decor						
	L1520 palisander	L1520 palisander, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1520 black design	L1520 black design, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1520 white design	L1520 white design, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1520 dark gray metal	L1520 dmetal, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1520 gray metal	L1520 gmetal, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1520 Champagne	L1520 Champagne, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1520 Chrome	L1520 Chrome, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1520 Gold	L1520 Gold, Push revision hatching door168x218 with flange 146x196 ABS, décor						
	L1530	Push revision hatching door 168x318 with flange 146x296	W	0,161	0,038	25	4,555	
	L2020	Push revision hatching door 218x218 with flange 196x196	W	0,164	0,038	24	4,466	
	L2020 oak	L2020 oak, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 palisander	L2020 palisander, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 black design	L2020 black design, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 white design	L2020 white design, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 dark gray metal	L2020 dmetal, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 gray metal	L2020 gmetal, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 Champagne	L2020 Champagne, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 Chrome	L2020 Chrome, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2020 Gold	L2020 Gold, Push revision hatching door 218x218 with flange 196x196 ABS, décor						
	L2025	Push revision hatching door 218x268 with flange 196x246	W	0,19	0,054	26	5,54	
	L2025 dark gray metal	L2025 dmetal, Push revision hatching door 218x268 with flange 196x246 ABS, décor						
	L2025 gray metal	L2025 gray metal, Push revision hatching door 218x268 with flange 196x246 ABS, décor						
	L2025 Champagne	L2025 Champagne, Push revision hatching door 218x268 with flange 196x246 ABS, décor						
	L2025 Chrome	L2025 Chrome, Push revision hatching door 218x268 with flange 196x246 ABS, décor						
	L2025 Gold	L2025 Gold, Push revision hatching door 218x268 with flange 196x246 ABS, décor						
	L2030	Push revision hatching door 218x318 with flange 196x296	W	0,211	0,054	24	5,664	
	L2030 dark gray metal	L2030 dmetal, Push revision hatching door 218x318 with flange 196x296 ABS, décor						
	L2030 gray metal	L2030 gmetal, Push revision hatching door 218x318 with flange 196x296 ABS, décor						
	L2030 Champagne	L2030 Champagne, Push revision hatching door 218x318 with flange 196x296 ABS, décor						
	L2030 Chrome	L2030 Chrome, Push revision hatching door 218x318 with flange 196x296 ABS, décor						
	L2030 Gold	L2030 Gold, Push revision hatching door 218x318 with flange 196x296 ABS, décor						
	L2040	Push revision hatching door 218x418 with flange 196x396	W	0,286	0,082	20	6,48	
	L2040 dark gray metal	L2040 dmetal, Push revision hatching door 218x418 with flange 196x396 ABS, décor						
	L2040 gray metal	L2040 gmetal, Push revision hatching door 218x418 with flange 196x396 ABS, décor						
	L2040 Champagne	L2040 Champagne, Push revision hatching door 218x418 with flange 196x396 ABS, décor						
	L2040 Chrome	L2040 Chrome, Push revision hatching door 218x418 with flange 196x396 ABS, décor						
	L2040 Gold	L2040 Gold, Push revision hatching door 218x418 with flange 196x396 ABS, décor						
	L2530	Push revision hatching door 268x318 with flange 246x296	W	0,28	0,054	22	6,76	
	L2540	Push revision hatching door 268x418 with flange 246x396	W	0,352	0,082	20	7,8	
	L3030	Push revision hatching door 318x318 with flange 296x296	W	0,36	0,054	18	7,08	
	L3040	Push revision hatching door 318x418 with flange 296x396	W	0,458	0,082	18	9,004	
	L3050	Push revision hatching door 318x518 with flange 296x496	W	0,529	0,082	17	9,753	
	L3535	Push revision hatching door 368x368 with flange 346x346	W	0,398	0,055	14	6,2	





Model	AxB	XxY
L1515	168x168	146x146
L1520	168x218	146x196
L1530	168x318	146x296
L2020	218x218	196x196
L2025	218x268	196x246
L2030	218x318	196x296
L2040	218x418	196x396
L2530	268x318	246x296
L2540	268x418	246x396
L3030	318x318	296x296
L3040	318x418	296x396
L3050	318x518	296x496
L3535	368x368	346x346
L4040	396x426	366x396
L4050	426x526	396x496

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	L1010R	Revision hatching door with handle 122x122 and flange 98x98	W	0,049	0,027	50	2,93
	L1015R	Revision hatching door with handle 122x172 and flange 98x148	W	NEW!			
	L1515R	Revision hatching door with handle 168x168 and flange 146x146	W	NEW!			
	L1520R	Revision hatching door with handle 168x218 and flange 146x196	W	NEW!			
	L1530R	Revision hatching door with handle 168x318 and flange 146x296	W	NEW!			
	L2020R	Revision hatching door with handle 218x218 and flange 196x196	W	NEW!			
	L2025R	Revision hatching door with handle 218x268 and flange 196x246	W	NEW!			
	L2030R	Revision hatching door with handle218x318 and flange 196x296	W	NEW!			
	L2040R	Revision hatching door with handle 218x418 and flange 196x396	W	NEW!			
	L2530R	Revision hatching door with handle 268x318 and flange 246x296	W	NEW!			
	L2540R	Revision hatching door with handle 268x418 and flange 246x396	W	0,352	0,082	20	7,8
	L3030R	Revision hatching door with handle 318x318 and flange 296x296	W	NEW!			
	L3040R	Revision hatching door with handle 318x418 and flange 296x396	W	NEW!			
	L3060R	Revision hatching door with handle 318x618 and flange 296x596	W	0,748	0,087	18	14,464
	L3535R	Revision hatching door with handle 368x368 and flange 346x346	W	0,398	0,055	14	6,172
	L4040R	Revision hatching door with handle 418x418 and flange 396x396	W	0,53	0,113	16	9,68
	L4050R	Revision hatching door with handle 418x518 and flange 396x496	W	0,795	0,12	15	12,925
	L4060R	Revision hatching door with handle 418x618 and flange 396x596	W	0,945	0,113	18	18,21
	L1515Z	Л15153, Revision hatching door with lock 168x168 and flange 146x146	W	NEW!			
	L1520Z	Л15203, Revision hatching door with lock 168x218 and flange 146x196	W	NEW!			
	L1530Z	Л15303, Revision hatching door with lock 168x318 and flange 146x296	W	NEW!			
	L2020Z	Л20203, Revision hatching door with lock 218x218 and flange 196x196	W	NEW!			
	L2025Z	Л20253, Revision hatching door with lock 218x268 and flange 196x246	W	NEW!			
	L2030Z	Л20303, Revision hatching door with lock218x318 and flange 196x296	W	NEW!			
	L2040Z	Л20403, Revision hatching door with lock 218x418 and flange 196x396	W	NEW!			
	L2530Z	Л25303, Revision hatching door with lock 268x318 and flange 246x296	W	NEW!			
	L2540Z	Л25403, Revision hatching door with lock 268x418 and flange 246x396	W	0,362	0,082	20	8
	L3030Z	Л30303, Revision hatching door with lock 318x318 and flange 296x296	W	NEW!			
	L3040Z	Л30403, Revision hatching door with lock 318x418 and flange 296x396	W	NEW!			
	L3060Z	Л30603, Revision hatching door with lock 318x618 and flange 296x596	W	0,773	0,087	18	14,914
	L3535Z	Л35353, Revision hatching door with lock 368x368 and flange 346x346	W	0,423	0,055	14	6,522
	L4040Z	Л40403, Revision hatching door with lock 418x418 and flange 396x396	W	0,555	0,113	16	10,08
	L4050Z	Л40503, Revision hatching door with lock 418x518 and flange 396x496	W	0,83	0,12	15	13,45
	L4060Z	Л40603, Revision hatching door with lock 418x618 and flange 396x596	W	0,97	0,113	18	18,66




Size table

Model	AxB	XxY
L1010R	122x122	98x98
L1015R	122x172	98x148
L1515R	168x168	146x146
L1520R	168x218	146x196
L1530R	168x318	146x296
L2020R	218x218	196x196
L2025R	218x268	196x246
L2030R	218x318	196x296
L2040R	218x418	196x396
L2530R	268x318	246x296
L2540R	268x418	246x396
L3030R	318x318	296x296
L3040R	318x418	296x396
L3060R	318x618	296x596
L3535R	368x368	346x346
L4040R	418x418	396x396
L4050R	418x518	396x496
L4060R	418x618	396x596

Size table

Model	AxB	XxY
L1515Z	168x168	146x146
L1520Z	168x218	146x196
L1530Z	168x318	146x296
L2020Z	218x218	196x196
L2025Z	218x268	196x246
L2030Z	218x318	196x296
L2040Z	218x418	196x396
L2530Z	268x318	246x296
L2540Z	268x418	246x396
L3030Z	318x318	296x296
L3040Z	318x418	296x396
L3060Z	318x618	296x596
L3535Z	368x368	346x346
L4040Z	418x418	396x396
L4050Z	418x518	396x496
L4060Z	418x618	396x596


Метални ревизионни отвори с фланец

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	LT1515M	Steel revision hatching door 210x210 with flange 150x150 and handle in gofferred packing	W	0,536	0,057	26	14,536
	LT1520M	Steel revision hatching door 210x260 with flange 150x200 and handle in gofferred packing	W	0,622	0,057	20	13,04
	LT2020M	Steel revision hatching door 260x260 with flange 200x200 and handle in gofferred packing	W	0,728	0,057	20	15,16
	LT2025M	Steel revision hatching door 260x310 with flange 200x250 and handle in gofferred packing	W	0,847	0,109	28	24,476
	LT2030M	Steel revision hatching door 260x360 with flange 200x300 and handle in gofferred packing	W	0,964	0,109	26	25,824
	LT2035M	Steel revision hatching door 260x410 with flange 200x350 and handle in gofferred packing	W	1,052	0,109	22	23,904
	LT2040M	Steel revision hatching door 260x460 with flange 200x400 and handle in gofferred packing	W	1,152	0,109	20	23,8
	LT2230M	Steel revision hatching door 280x360 with flange 220x300 and handle in gofferred packing	W	1,016	0,132	29	30,264
	LT2255M	Steel revision hatching door 280x610 with flange 220x550 and handle in gofferred packing	W	1,633	0,144	19	31,827
	LT2525M	Steel revision hatching door 310x310 with flange 250x250 and handle in gofferred packing	W	1,025	0,109	20	21,26
	LT2530M	Steel revision hatching door 310x360 with flange 250x300 and handle in gofferred packing	W	1,1	0,109	20	22,76
	LT2535M	Steel revision hatching door 310x410 with flange 250x350 and handle in gofferred packing	W	1,208	0,109	18	22,504
	LT2540M	Steel revision hatching door 310x460 with flange 250x400 and handle in gofferred packing	W	1,303	0,109	17	22,911
	LT2545M	Steel revision hatching door 310x510 with flange 250x450 and handle in gofferred packing	W	1,445	0,132	19	28,255
	LT3030M	Steel revision hatching door 360x360 with flange 300x300 and handle in gofferred packing	W	1,224	0,109	19	24,016
	LT3040M	Steel revision hatching door 360x460 with flange 300x400 and handle in gofferred packing	W	1,52	0,109	16	25,08
	LT3050M	Steel revision hatching door 360x560 with flange 300x500 and handle in gofferred packing	W	1,792	0,109	12	22,264
	LT3535M	Steel revision hatching door 410x410 with flange 350x350 and handle in gofferred packing	W	1,5	0,074	10	15,65
	LT4040M	Steel revision hatching door 460x460 with flange 400x400 and handle in gofferred packing	W	1,81	0,111	10	18,9
	LT4050M	Steel revision hatching door 460x560 with flange 400x500 and handle in gofferred packing	W	2,228	0,109	10	23,04
	LT4060M	Steel revision hatching door 460x660 with flange 400x600 and handle in gofferred packing	W	2,52	0,124	10	26,16
	LT4545M	Steel revision hatching door 510x510 with flange 450x450 and handle in gofferred packing	W	2,195	0,111	10	22,75
	LT5050M	Steel revision hatching door 560x560 with flange 500x500 and handle in gofferred packing	W	2,643	0,132	10	27,23
	LT5555M	Steel revision hatching door 610x610 with flange 550x550 and handle in gofferred packing	W	3,012	0,156	9	27,908
	LT6060M	Steel revision hatching door 660x660 with flange 600x600 and handle in gofferred packing	W	3,625	0,088	5	18,925
	LT6080M	Steel revision hatching door 660x860 with flange 600x800 and handle in gofferred packing	W	4,382	0,088	5	22,81
	LT1515MZ	Steel revision hatching door 210x210 with flange 150x150 and lock in gofferred packing	W	0,536	0,057	26	14,536
	LT1520MZ	Steel revision hatching door 210x260 with flange 150x200 and lock in gofferred packing	W	0,622	0,057	20	13,04
	LT2020MZ	Steel revision hatching door 260x260 with flange 200x200 and lock in gofferred packing	W	0,728	0,057	20	15,16
	LT2025MZ	Steel revision hatching door 260x310 with flange 200x250 and lock in gofferred packing	W	0,847	0,109	28	24,476
	LT2030MZ	Steel revision hatching door 260x360 with flange 200x300 and lock in gofferred packing	W	0,964	0,109	26	25,824
	LT2035MZ	Steel revision hatching door 260x410 with flange 200x350 and lock in gofferred packing	W	1,052	0,109	22	23,904
	LT2040MZ	Steel revision hatching door 260x460 with flange 200x400 and lock in gofferred packing	W	1,152	0,109	20	23,8
	LT2230MZ	Steel revision hatching door 280x360 with flange 220x300 and lock in gofferred packing	W	1,016	0,132	29	30,264
	LT2255MZ	Steel revision hatching door 280x610 with flange 220x550 and lock in gofferred packing	W	1,633	0,144	19	31,827
	LT2525MZ	Steel revision hatching door 310x310 with flange 250x250 and lock in gofferred packing	W	1,025	0,109	20	21,26
	LT2530MZ	Steel revision hatching door 310x360 with flange 250x300 and lock in gofferred packing	W	1,1	0,109	18	20,56
	LT2535MZ	Steel revision hatching door 310x410 with flange 250x350 and lock in gofferred packing	W	1,208	0,109	18	22,504
	LT2540MZ	Steel revision hatching door 310x460 with flange 250x400 and lock in gofferred packing	W	1,303	0,109	17	22,911
	LT2545MZ	Steel revision hatching door 310x510 with flange 250x450 and lock in gofferred packing	W	1,445	0,132	19	28,255
	LT2560MZ	Steel revision hatching door 310x660 with flange 250x600 and lock in gofferred packing	W	1,805	0,124	14	26,23
	LT3030MZ	Steel revision hatching door 360x360 with flange 300x300 and lock in gofferred packing	W	1,224	0,109	19	24,016
	LT3040MZ	Steel revision hatching door 360x460 with flange 300x400 and lock in gofferred packing	W	1,52	0,109	16	25,08
	LT3050MZ	Steel revision hatching door 360x560 with flange 300x500 and lock in gofferred packing	W	1,792	0,109	12	22,264
	LT3535MZ	Steel revision hatching door 410x410 with flange 350x350 and lock in gofferred packing	W	1,5	0,074	10	15,65
	LT4040MZ	Steel revision hatching door 460x460 with flange 400x400 and lock in gofferred packing	W	1,81	0,111	10	18,9
	LT4050MZ	Steel revision hatching door 460x560 with flange 400x500 and lock in gofferred packing	W	2,228	0,109	10	23,04
	LT4060MZ	Steel revision hatching door 460x660 with flange 400x600 and lock in gofferred packing	W	2,52	0,124	10	26,16
	LT4545MZ	Steel revision hatching door 510x510 with flange 450x450 and lock in gofferred packing	W	2,195	0,111	10	22,75
	LT5050MZ	Steel revision hatching door 560x560 with flange 500x500 and lock in gofferred packing	W	2,643	0,132	10	27,23
	LT5555MZ	Steel revision hatching door 610x610 with flange 550x550 and lock in gofferred packing	W	3,012	0,156	9	27,908
	LT6060MZ	Steel revision hatching door 660x660 with flange 600x600 and lock in gofferred packing	W	3,625	0,088	5	18,925
	LT6080MZ	Steel revision hatching door 660x860 with flange 600x800 and lock in gofferred packing	W	4,382	0,088	5	22,81


Model	AxB	XxY
LT1515M	210x210	150x150
LT1520M	210x260	150x200
LT2020M	260x260	200x200
LT2025M	260x310	200x250
LT2030M	260x360	200x300
LT2035M	260x410	200x350
LT2040M	260x460	200x400
LT2230M	280x360	220x300
LT2255M	280x610	220x550
LT2525M	310x310	250x250
LT2530M	310x360	250x300
LT2535M	310x410	250x350
LT2540M	310x460	250x400
LT2545M	310x510	250x450
LT3030M	360x360	300x300
LT3040M	360x460	300x400
LT3050M	360x560	300x500
LT3535M	410x410	350x350
LT4040M	460x460	400x400
LT4050M	460x560	400x500
LT4060M	460x660	400x600
LT4545M	510x510	450x450
LT5050M	560x560	500x500
LT5555M	610x610	550x550
LT6060M	660x660	600x600
LT6080M	660x860	600x800

Model	AxB	XxY
LT1515MZ	210x210	150x150
LT1520MZ	210x260	150x200
LT2020MZ	260x260	200x200
LT2025MZ	260x310	200x250
LT2030MZ	260x360	200x300
LT2035MZ	260x410	200x350
LT2040MZ	260x460	200x400
LT2230MZ	280x360	220x300
LT2255MZ	280x610	220x550
LT2525MZ	310x310	250x250
LT2530MZ	310x360	250x300
LT2535MZ	310x410	250x350
LT2540MZ	310x460	250x400
LT2545MZ	310x510	250x450
LT3030MZ	360x360	300x300
LT3040MZ	360x460	300x400
LT3050MZ	360x560	300x500
LT3535MZ	410x410	350x350
LT4040MZ	460x460	400x400
LT4050MZ	460x560	400x500
LT4060MZ	460x660	400x600
LT4545MZ	510x510	450x450
LT5050MZ	560x560	500x500
LT5555MZ	610x610	550x550
LT6060MZ	660x660	600x600
LT6080MZ	660x680	600x800

Алуминиеви ревизионни отвори за вграждане


Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	LP1515K	LP1515K, Aluminum hatch for coating, casing 150x150	O	0,6	0,038	10	11,0	
	LP1520K	LP1520K, Aluminum hatch for coating, casing 150x200	O	0,033	0,033	6	9,0	
	LP2020K	LP2020K, Aluminum hatch for coating, casing 200x200	O	0,8	0,029	10	8,0	
	LP2030K	LP2030K, Aluminum hatch for coating, casing 200x300	O	1,1	0,036	10	11,0	
	LP2040K	LP2040K, Aluminum hatch for coating, casing 200x400	O	-	-	-	-	
	LP2525K	LP2525K, Aluminum hatch for coating, casing 250x250	O	-	-	-	-	
	LP3030K	LP3030K, Aluminum hatch for coating, casing 300x300	O	1,5	-	-	-	
	LP3040K	LP3040K, Aluminum hatch for coating, casing 300x400	O	-	-	-	-	
	LP3050K	LP3050K, Aluminum hatch for coating, casing 300x500	O	-	-	-	-	
	LP3060K	LP3060K, Aluminum hatch for coating, casing 300x600	O	-	-	-	-	
	LP4040K	LP4040K, Aluminum hatch for coating, casing 400x400	O	2,4	0,036	4	9,6	
	LP4050K	LP4050K, Aluminum hatch for coating, casing 400x500	O	-	-	-	-	
	LP4060K	LP4060K, Aluminum hatch for coating, casing 400x600	O	3,5	-	-	-	
	LP5050K	LP5050K, Aluminum hatch for coating, casing 500x500	O	3,5	0,028	2	7,0	
	LP5060K	LP5060K, Aluminum hatch for coating, casing 500x600	O	-	-	-	-	
	LP50100K	LP50100K, Aluminum hatch for coating, casing 500x1000	O	-	-	-	-	
	LP6060K	LP6060K, Aluminum hatch for coating, casing 600x600	O	4,8	0,039	2	9,6	
	LP6080K	LP6080K, Aluminum hatch for coating, casing 600x800	O	-	-	-	-	
	LP60100K	LP60100K, Aluminum hatch for coating, casing 600x1000	O	-	-	-	-	
	LP60120K	LP60120K, Aluminum hatch for coating, casing 600x1200	O	9,6	0,084	1	9,6	

Model	AxB
LP1515K	150x150
LP1520K	150x200
LP2020K	200x200
LP2030K	200x300
LP2040K	200x400
LP2525K	250x250
LP3030K	300x300
LP3040K	300x400
LP3050K	300x500
LP3060K	300x600
LP4040K	400x400
LP4050K	400x500
LP4060K	400x600
LP5050K	500x500
LP5060K	500x600
LP50100K	500x1000
LP6060K	600x600
LP6080K	600x800
LP60100K	600x1000
LP60120K	600x1200

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight	Size table
	LP1515U	LP1515U, Aluminum hatch for coating, corner 150x150	O	0,6	0,038	10	11,0	
	LP1520U	LP1520U, Aluminum hatch for coating, corner 150x200	O	0,033	0,033	6	9,0	
	LP2020U	LP2020U, Aluminum hatch for coating, corner 200x200	O	0,8	0,029	10	8,0	
	LP2030U	LP2030U, Aluminum hatch for coating, corner 200x300	O	1,1	0,036	10	11,0	
	LP2040U	LP2040U, Aluminum hatch for coating, corner 200x400	O	-	-	-	-	
	LP2525U	LP2525U, Aluminum hatch for coating, corner 250x250	O	-	-	-	-	
	LP3030U	LP3030U, Aluminum hatch for coating, corner 300x300	O	1,5	0,033	6	9,0	
	LP3040U	LP3040U, Aluminum hatch for coating, corner 300x400	O	-	-	-	-	
	LP3050U	LP3050U, Aluminum hatch for coating, corner 300x500	O	-	-	-	-	
	LP3060U	LP3060U, Aluminum hatch for coating, corner 300x600	O	-	-	-	-	
	LP4040U	LP4040U, Aluminum hatch for coating, corner 400x400	O	2,4	-	-	-	
	LP4050U	LP4050U, Aluminum hatch for coating, corner 400x500	O	-	-	-	-	
	LP4060U	LP4060U, Aluminum hatch for coating, corner 400x600	O	3,5	-	-	-	
	LP5050U	LP5050U, Aluminum hatch for coating, corner 500x500	O	3,5	-	-	7,0	
	LP5060U	LP5060U, Aluminum hatch for coating, corner 500x600	O	-	-	-	-	
	LP50100U	LP50100U, Aluminum hatch for coating, corner 500x1000	O	-	-	-	-	
	LP6060U	LP6060U, Aluminum hatch for coating, corner 600x600	O	4,8	-	-	-	
	LP6080U	LP6080U, Aluminum hatch for coating, corner 600x800	O	-	-	-	-	
	LP60100U	LP60100U, Aluminum hatch for coating, corner 600x1000	O	-	-	-	-	
	LP60120U	LP60120U, Aluminum hatch for coating, corner 600x1200	O	-	-	-	-	


Model	AxB
LP1515U	150x150
LP1520U	150x200
LP2020U	200x200
LP2030U	200x300
LP2040U	200x400
LP2525U	250x250
LP3030U	300x300
LP3040U	300x400
LP3050U	300x500
LP3060U	300x600
LP4040U	400x400
LP4050U	400x500
LP4060U	400x600
LP5050U	500x500
LP5060U	500x600
LP50100U	500x1000
LP6060U	600x600
LP6080U	600x800
LP60100U	600x1000
LP60120U	600x1200

Алуминиеви ревизионни отвори за плочки (подсилени)

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	D2030 ceramo comfort	Hinged press-on hatch 200x300	O	2,8	-	1	2,8
	D2040 ceramo comfort	Hinged press-on hatch 200x400	O	4	-	1	4
	D3030 ceramo comfort	Hinged press-on hatch 300x300	O	3,9	-	1	3,9
	D3040 ceramo comfort	Hinged press-on hatch 300x400	O	4,76	-	1	4,76
	D3050 ceramo comfort	Hinged press-on hatch 300x500	O	5,65	-	1	5,65
	D3060 ceramo comfort	Hinged press-on hatch 300x600	O	6,5	-	1	6,5
	D3070 ceramo comfort	Hinged press-on hatch 300x700	O	7,4	-	1	7,4
	D3080 ceramo comfort	Hinged press-on hatch 300x800	O	8,3	-	1	8,3
	D3090 ceramo comfort	Hinged press-on hatch 300x900	O	9,2	-	1	9,2
	D30100 ceramo comfort	Hinged press-on hatch 300x1000	O	10	-	1	10
	D4030 ceramo comfort	Hinged press-on hatch 400x300	O	4,5	-	1	4,5
	D4040 ceramo comfort	Hinged press-on hatch 400x400	O	5,3	-	1	5,3
	D4050 ceramo comfort	Hinged press-on hatch 400x500	O	6,4	-	1	6,4
	D4060 ceramo comfort	Hinged press-on hatch 400x600	O	7,7	-	1	7,7
	D4070 ceramo comfort	Hinged press-on hatch 400x700	O	8,6	-	1	8,6
	D4080 ceramo comfort	Hinged press-on hatch 400x800	O	9,7	-	1	9,7
	D4090 ceramo comfort	Hinged press-on hatch 400x900	O	10,8	-	1	10,8
	D40100 ceramo comfort	Hinged press-on hatch 400x1000	O	12	-	1	12
	D5040 ceramo comfort	Hinged press-on hatch 500x400	O	6,62	-	1	6,62
	D5050 ceramo comfort	Hinged press-on hatch 500x500	O	7,15	-	1	7,15
	D5060 ceramo comfort	Hinged press-on hatch 500x600	O	9	-	1	9
	D5070 ceramo comfort	Hinged press-on hatch 500x700	O	10	-	1	10
	D5080 ceramo comfort	Hinged press-on hatch 500x800	O	11,3	-	1	11,3
	D5090 ceramo comfort	Hinged press-on hatch 500x900	O	12,4	-	1	12,4
	D50100 ceramo comfort	Hinged press-on hatch 500x1000	O	13,6	-	1	13,6
	D50120 ceramo comfort	Hinged press-on hatch 500x1200	O	15,1	-	1	15,1
	D6040 ceramo comfort	Hinged press-on hatch 600x400	O	7,5	-	1	7,5
	D6050 ceramo comfort	Hinged press-on hatch 600x500	O	8,85	-	1	8,85
	D6060 ceramo comfort	Hinged press-on hatch 600x600	O	10,4	-	1	10,4
	D6070 ceramo comfort	Hinged press-on hatch 600x700	O	11,5	-	1	11,5
	D6080 ceramo comfort	Hinged press-on hatch 600x800	O	12,2	-	1	12,2
	D6090 ceramo comfort	Hinged press-on hatch 600x900	O	13,3	-	1	13,3
	D60100 ceramo comfort	Hinged press-on hatch 600x1000	O	14,1	-	1	14,1
	D60120 ceramo comfort	Hinged press-on hatch 600x1200	O	15,8	-	1	15,8


Model	AxB	XxY
D2030 CC	200x300	150x250
D2040 CC	200x400	150x350
D3030 CC	300x300	250x250
D3040 CC	300x400	250x350
D3050 CC	300x500	250x450
D3060 CC	300x600	250x550
D3070 CC	300x700	250x650
D3080 CC	300x800	250x750
D3090 CC	300x900	250x850
D30100 CC	300x1000	250x950
D4030CC	400x300	350x250
D4040 CC	400x400	350x350
D4050 CC	400x500	350x450
D4060 CC	400x600	350x550
D4070 CC	400x700	350x650
D4080 CC	400x800	350x750
D4090 CC	400x900	350x850
D40100 CC	400x1000	350x950
D5040 CC	500x400	450x350
D5050 CC	500x500	450x450
D5060 CC	500x600	450x550
D5070 CC	500x700	450x650
D5080 CC	500x800	450x750
D5090 CC	500x900	450x850
D50100 CC	500x1000	450x950
D50120 CC	500x1200	450x1150
D6040 CC	600x400	550x350
D6050 CC	600x500	550x450
D6060 CC	600x600	550x550
D6070 CC	600x700	550x650
D6080 CC	600x800	550x750
D6090 CC	600x900	550x850
D60100 CC	600x1000	550x950
D60120 CC	600x1200	550x1150

Алуминиеви ревизионни отвори за плочки със стоп верижка при отваряне

Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	D2020 ceramo	Removable Hatch for Tile with an opening stop chain 200x200	O	1,1	-	1	1,1
	D2030 ceramo	Removable Hatch for Tile with an opening stop chain 200x300	O	1,5	-	1	1,5
	D2040 ceramo	Removable Hatch for Tile with an opening stop chain 200x400	O	1,93	-	1	1,93
	D2525 ceramo	Removable Hatch for Tile with an opening stop chain 250x250	O	1,55	-	1	1,55
	D2540 ceramo	Removable Hatch for Tile with an opening stop chain 250x400	O	2,3	-	1	2,3
	D3020 ceramo	Removable Hatch for Tile with an opening stop chain 300x200	O	1,5	-	1	1,5
	D3030 ceramo	Removable Hatch for Tile with an opening stop chain 300x300	O	2,01	-	1	2,01
	D3040 ceramo	Removable Hatch for Tile with an opening stop chain 300x400	O	2,6	-	1	2,6
	D3050 ceramo	Removable Hatch for Tile with an opening stop chain 300x500	O	3,27	-	1	3,27
	D3060 ceramo	Removable Hatch for Tile with an opening stop chain 300x600	O	3,8	-	1	3,8
	D4020 ceramo	Removable Hatch for Tile with an opening stop chain 400x200	O	1,93	-	1	1,93
	D4030 ceramo	Removable Hatch for Tile with an opening stop chain 400x300	O	2,6	-	1	2,6
	D4040 ceramo	Removable Hatch for Tile with an opening stop chain 400x400	O	3,3	-	1	3,3
	D4050 ceramo	Removable Hatch for Tile with an opening stop chain 400x500	O	4,1	-	1	4,1
	D4060 ceramo	Removable Hatch for Tile with an opening stop chain 400x600	O	1,8	-	1	1,8
	D5030 ceramo	Removable Hatch for Tile with an opening stop chain 500x300	O	3,27	-	1	3,27
	D5040 ceramo	Removable Hatch for Tile with an opening stop chain 500x400	O	4,1	-	1	4,1
	D5050 ceramo	Removable Hatch for Tile with an opening stop chain 500x500	O	5,02	-	1	5,02
	D5060 ceramo	Removable Hatch for Tile with an opening stop chain 500x600	O	5,7	-	1	5,7
	D6030 ceramo	Removable Hatch for Tile with an opening stop chain 600x300	O	3,8	-	1	3,8
	D6040 ceramo	Removable Hatch for Tile with an opening stop chain 600x400	O	4,8	-	1	4,8
	D6050 ceramo	Removable Hatch for Tile with an opening stop chain 600x500	O	5,7	-	1	5,7
	D6060 ceramo	Removable Hatch for Tile with an opening stop chain 600x600	O	6,85	-	1	6,85

Model	AxB	XxY
D2020 CERAMO	200x200	170x170
D2030 CERAMO	200x300	170x270
D2040 CERAMO	200x400	170x370
D2525 CERAMO	250x250	220x220
D2540 CERAMO	250x400	220x370
D3020 CERAMO	300x200	270x170
D3030 CERAMO	300x300	270x270
D3040 CERAMO	300x400	270x370
D3050 CERAMO	300x500	270x470
D3060 CERAMO	300x600	270x570
D4020 CERAMO	400x200	370x170
D4030 CERAMO	400x300	370x270
D4040 Ceramo	400x400	370x370
D4050 Ceramo	400x500	370x470
D4060 Ceramo	400x600	370x570
D5030 Ceramo	500x300	470x270
D5040 Ceramo	500x400	470x370
D5050 Ceramo	500x500	470x470
D5060 Ceramo	500x600	470x570
D6030 Ceramo	600x300	570x270
D6040 Ceramo	600x400	570x370
D6050 Ceramo	600x500	570x470
D6060 Ceramo	600x600	570x570

Ревизионни отвори за под /с гумено уплътнение/


Graphic representation	Article	Name	Warehouse/ order	Weight individual	Box volume	Quantity of products	Gross weight
	D2020 floor	Revision Filling Floor Hatch with rubber gasket 200x200	O	1,11	-	1	1,11
	D3030 floor	Revision Filling Floor Hatch with rubber gasket 300x300	O	1,84	-	1	1,84
	D4040 floor	Revision Filling Floor Hatch with rubber gasket 400x400	O	2,2	-	1	2,2
	D5050 floor	Revision Filling Floor Hatch with rubber gasket 500x500	O	3,41	-	1	3,41
	D6060 floor	Revision Filling Floor Hatch with rubber gasket 600x600	O	4,34	-	1	4,34
	D6080 floor	Revision Filling Floor Hatch with rubber gasket 600x800	O	6,06	-	1	6,06
	D6090 floor	Revision Filling Floor Hatch with rubber gasket 600x900	O	6,53	-	1	6,53
	D7070 floor	Revision Filling Floor Hatch with rubber gasket 700x700	O	5,46	-	1	5,46
	D8080 floor	Revision Filling Floor Hatch with rubber gasket 800x800	O	7,7	-	1	7,7

Model	AxB	XxY
D2020 FLOOR	200x200	140x140
D3030 FLOOR	300x300	240x240
D4040 FLOOR	400x400	340x340
D5050 FLOOR	500x500	440x440
D6060 FLOOR	600x600	540x540
D6080 FLOOR	600x800	540x740
D6090 FLOOR	600x900	540x840
D7070 FLOOR	700x700	640x640
D8080 FLOOR	800x800	740x740

Типичен пример за вентилационна с-ма

Монтаж на нагнетателен конусен вентил


(в стена)





1. Декоративен панел, монтиращ се в помещението;
2. Въздушен поток;
3. Филтър;
4. Изолация;
5. Пластмасов въздуховод;
6. Външна решетка (външен дофузер).


Варианти за нагнетателни и смукателни конусни вентили

(серия «STREET LINE»)










1. КР – външна решетка (ASA-пластмаса) + механизъм за контрол на дебита;
2. КР-02 - външна нагнетателна решетка (ASA-пластмаса) + механизъм за контрол на дебита
3. КР-03 - външна нагнетателна решетка (стоманена) + механизъм за контрол на дебита;
4. КР – външна решетка (алуминиева) + механизъм за контрол на дебита.

Типичен пример за изграждане на вентилационна с-ма


WC помещение

(пример за монтаж на осов вентилатор PROFIT)



1. Планка за кръгъл въздуховод (NKP);
2. Скоба (DKP);
3. Блиндиран гъвкав въздуховод (VA);
4. Осов вентилатор (PROFIT);
5. Нагнетателна решетка (RKF);
6. Кръгъл въздуховод (VP);
7. Т-връзка (TP);
8. Коляно (KKP);
9. Нагнетателна решетка (RPKF);
10. Нагнетателна решетка (RCF);
11. Конектор за кръгли въздуховоди (DSKP).


Кухня




1. Нагнетателна решетка с въздуховод (RU);
2. Гъвкав алуминиев въздуховод (VA);
3. Конектор за кръгли въздуховоди (PU).

Типичен пример за вентилационна с-ма

Кухня



1. Подложка за правоъгълни въздуховоди (NPP);
2. Правоъгълен въздуховод (VP);
3. Конектор за плосък въздуховод с дифузер (SKFP);
4. Алуминиев гъвкав въздуховод (VA).




1. Подложка за правоъгълни въздуховоди (NPP);
2. Правоъгълен въздуховод (VP);
3. Правоъгълно коляно (KVP);
4. Плоско-кръгъл адаптор (SPKP);
5. Редукция (PU).

Типичен пример за изграждане на вентилационна с-ма

WC помещение


(вентилатор, решетка за врата)



1. Решетка за врата (DP);
2. Вентилатор.

WC помещение

(конусен вентил, окачен таван)




1. Нагнетателен конусен вентил (AVP);
2. Кръгъл въздуховод (VP);
3. Плосък конектор с фланец за дифузер (SKFP);
4. Плосък въздуховод (VP);
5. Хоризонтално коляно (KGP);
6. Плоска Т-връзка (TTP);
7. Плоско-кръгъл адаптор (CPKP);
8. Вентилатор (PRO);
9. Подложка за кръгъл въздуховод (NKP)

Типичен пример за вентилационна с-ма

WC помещение


(WC отделно помещение, два вентилационни извода)



1.Вентилатор

WC помещение

(WC едно помещение, два вентилационни извода)




1. Вентилатор
2. Хоризонтално коляно (KGP);
3. Подложка за плосък въздуховод (NNP);
4. Плосък въздуховод (VP);
5. Плоско-кръгъл конектор (SPKP);
6. Вентилатор.


Типичен пример за изграждане на вентилационна с-ма

Офис

(конусен вентил, окачен таван)




1. Нагнетателен конусен вентил (AVP);
2. Кръгъл въздуховод(VP);
3. Плосък адаптор с фланец за дифузер (SKFP);
4. Плосък конектор с фланец за дифузер (TFP);
5. Плосък въздуховод (VP);
6. Хоризонтално коляно (KGP);
7. Плоска Т-връзка (TPP);
8. Плоско-кръгъл адаптор (SPKP);
9. Подложка за кръгъл въздуховод (NKP);
10. Вентилатор (PRO).



1. Нагнетателен конусен вентил (AVP);
2. Кръгло коляно (KKP);
3. Кръгъл въздуховод (VP);
4. Кръгло съединение (TP);
5. Подложка за кръгли въздуховоди (NKP)
6. Вентилатор (PRO);
7. Нагнетателен конусен вентил (APP);
8. Центробежен вентилатор (NVF);
9. Държач (DSKP)

ERA

Reliable supplier



Catalogue 2016
1 edition